



B-TECH AUDIO VIDEO MOUNTS

SAFE • SOLID • SECURE™

AV MOUNTS AND ACCESSORIES



www.btechavmounts.com

Welcome to the 2015 edition of the B-Tech Catalogue...



Welcome to our updated Product Catalogue for 2014. Having been founded over 40 years ago, B-Tech AV Mounts has developed into one of the premier mounting solution providers in the world. B-Tech continues to offer excellent service, meeting expectations that both professional installers and consumers require alike. Featuring many new products that B-Tech has developed and launched over the past 12 months, this latest catalogue demonstrates the extent of the range of AV Mounting Solutions that is available from B-Tech. With our head-office located centrally in the UK, B-Tech is supporting you wherever you are in the world; whether it be in Europe with our offices and distribution centres located in Barcelona, Berlin and Brussels, the MENA region with distribution from Dubai, U.A.E., or the Asia-Pacific region with offices and staff in Hong Kong, China and Singapore. These are ably supported by a global distribution network that covers both the commercial install and retail markets worldwide.

B-Tech AV Mounts can essentially be split into two categories - B-Tech Professional and B-Tech Consumer - and this is what we have done for this catalogue. The first section of the catalogue is dedicated to our AV Mounting Solutions for Professionals, be it installers, integrators, tradespersons, specifiers or architects. You will find a mounting solution for every screen ranging from small CCTV screens to heavy duty interactive flat panel displays, covering all possible aspects such as flat to the wall, full motion articulating arm, ceiling mount (including specialist mounts), floor stands and mobile requirements. Products are available in ready-made kits for convenience as well as in component format for that more specialist mounting requirement. A new feature to our range is the availability of bulk-packed mounts. These, such as the BT7511-BULK, are ideal for installers as there is no time wastage in opening individual packaging and sorting out the components - the wall brackets are packed separately from the interface kits making it easier and quicker for that install.

Our mottos of Safe Solid Secure and Better by Design have never been more true. Please visit our website at www.btechavmounts.com or follow us on Social Media to be kept up to date with all the latest developments with B-Tech around the world. B-Tech will also be participating in industry events around the world, such as ISE and InfoComm, so please try and visit us at one of these shows and we will be happy to meet you.

Matthew Bennett
CEO - B-Tech International Group of Companies

@btechavmounts

B-TECH INTERNATIONAL GROUP OF COMPANIES



www.btechavmounts.com

PRODUCT INFO ICONS



CONTENTS

B-TECH PROFESSIONAL

Our professional section contains an extensive collection of mounting solutions for use in both commercial and residential applications. For a selection of mounts and accessories designed for use in the home, please see the consumer section.

Page 5-7 VESA® Wall Mounts

Page 8-9 Universal Wall Mounts

Page 10 Mounting Adaptors

Page 11-19 Digital Signage Mounting

Page 20-29 AV Trolleys & Floor Stands

Page 30-31 AV Accessory Shelves

Page 32-37 Flat Screen Ceiling Mounts

Page 38-39 Projector Mounts

Page 40-41 Desk Mounts

Page 42-51 50mm Pole Mounting System

Page 52-53 Floor Stand Mounting System

Page 54-55 Bespoke Design Service

B-TECH CONSUMER

Our consumer section contains a selection of mounts and accessories ideal for use in the home. For a more extensive selection designed for use in both commercial and residential applications, please see the professional section.

Page 57-59 Flat Screen Wall Mounts

Page 60-63 AV Furniture

Page 64-65 Speaker Mounting

Page 66 Mounting Accessories

Page 67 AV Care & Cleaning

Page 68-69 AV Controls & Interconnects

B-TECH PROFESSIONAL

B - T E C H A U D I O V I D E O M O U N T S



Heathrow Airport (T3),
London

PROINSTALL™

The Professional's Choice for Audio Video Mounts and Supports

B-Tech Audio Video Mounts is a leading original design manufacturer of professional AV mounting solutions. B-Tech mounts have been used in some of the most prestigious sports stadia, hotels, schools, shopping malls and conference facilities worldwide. Mounts and supports are designed in the UK to meet the stringent GS/TUV safety standards and come complete with a 10-year lifetime guarantee. From European distribution centres in the UK, Belgium, Germany and Spain, B-Tech are able to offer a same-day dispatch service from stock, getting the product there on-time for that important install. The B-Tech Range of AV mounts is designed to make professional installations safe, solid and secure, whilst providing simple, cost effective solutions for commercial and public installations.

BT7510

Fixed - Small



Ultra-Slim Flat Screen Wall Mount

- Designed for small flat screens up to 23" (58cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns: 50 x 50, 75 x 75 and 100 x 100mm
- Low profile design mounts screen only 15mm (0.6") from wall



Registered Design Number: 001713280-0003

BT7511

Tilt - Small



Flat Screen Wall Mount with Tilt

- Designed for small flat screens up to 23" (58cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment: +17°/-10°
- Distance from wall: 55mm (2.1")



Registered Design Number: 001713280-0004

BT7518

Tilt and Swivel - Small



Flat Screen Wall Mount with Tilt and Swivel

- Designed for small flat screens up to 23" (58cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +17°/-10° tilt and 50° swivel (180° when pole mounted)
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style
- Distance from wall: 93mm (3.7")



Registered Design Number: 001713280-0009

BT7512

Single Arm - Small



Single Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for small flat screens up to 23" (58cm) / 15kg (33lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment: +17°/-10°
- Distance from wall: **Min:** 75mm (3") - **Max:** 280mm (11")
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style



Registered Design Number: 001713280-0005

BT7513

Double Arm - Small



Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for small flat screens up to 23" (58cm) / 15kg (33lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment: +17°/-10°
- Distance from wall: **Min:** 95mm (3.7") - **Max:** 467mm (18.4")
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style



Registered Design Number: 001713280-0006

fullmotionmounts

Bulk Packaging

B-Tech mounts are also available to order as bulk boxes. For example the **BT7511-BULK30** shown here contains 30 individually wrapped BT7511 wall plates, interfaces and screw kits in one carton. Please ask for further information about this option.



BT7521

Fixed - Medium

Ultra-Slim Flat Screen Wall Mount



- Designed for medium flat screens up to 32" (81cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100 and 200 x 100mm
- Low profile design mounts screen only 15mm (0.6") from wall



Registered Design Number: 001713280-0010

BT7532

Fixed - Medium

Ultra-Slim Flat Screen Wall Mount



- Designed for medium flat screens up to 42" (107cm) / 40kg (88lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100, 200 x 100 and 200 x 200mm
- Low profile design mounts screen only 15mm (0.6") from wall



Registered Design Number: 001713280-0013

BT7522

Tilt - Medium

Flat Screen Wall Mount with Tilt



- Designed for medium flat screens up to 32" (81cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100 and 200 x 100mm
- Easy tilt adjustment: +/-15° when wall mounted (+/-40° when pole mounted)
- Distance from wall: 45mm (1.8")



Registered Design Number: 001713280-0012

BT7523

Tilt - Medium

Flat Screen Wall Mount with Tilt



- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100, 200 x 100 and 200 x 200mm
- Easy tilt adjustment: +/-15° when wall mounted (+/-40° when pole mounted)
- Distance from wall: 52mm (2")



Registered Design Number: 001713280-0012, 001713280-0017

BT7524

Tilt and Swivel - Medium

Flat Screen Wall Mount with Tilt and Swivel



- Designed for medium flat screens up to 32" (81cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100 and 200 x 100mm
- Features +17°/-10° tilt and 50° swivel (180° when pole mounted)
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style
- Distance from wall: 100mm (3.9")



Registered Design Number: 001713280-0009, 001713280-0017

BT7514 (Use Short Arm)

Tilt and Swivel - Medium

Flat Screen Wall Mount with Tilt and Swivel



- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100, 200 x 100 and 200 x 200mm
- Features +/-40° tilt and 50° swivel (180° when pole mounted)
- Distance from wall: 95mm (3.7")



Registered Design Number: 001713280-0007

Mountlogic Features



CLIPLOGIC™ Cable Management. On B-Tech wall arms, B-Tech supply CLIPLOGIC cable management clips for quick and stylish cable management.



OWLS™ (On Wall Levelling System). This feature found on Mountlogic mounts allows the wall mounting plate to be levelled after it's attached to the wall.



Pin-Hex Security. For added security and safety, Pin-Hex Security Screws and Keys are standard across the Mountlogic Range of VESA flat screen mounts.

BT7514

Single Arm - Medium

Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100, 200 x 100 and 200 x 200mm
- Easy tilt adjustment: +/-40°
- Distance from wall: **Min:** 95mm (3.7") - **Max:** 336mm (13.2")
- Alternative short arm included (see previous page)




Registered Design Number: 001713280-0007

BT7534

Single Arm - Medium / Large

Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for medium/large flat screens up to 50" (127cm) / 40kg (88lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100, 200 x 100, 200 x 200, 200 x 300, 300 x 200, 300 x 300, 400 x 200, 400 x 300 and 400 x 400mm
- Easy tilt adjustment: +/-15°
- Distance from wall: **Min:** 136mm (5.4") - **Max:** 382mm (15")
- Alternative short arm included



Registered Design Number: 001713280-0014

BT7515

Double Arm - Medium

Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100, 200 x 100 and 200 x 200mm
- Easy tilt adjustment: +/-40°
- Distance from wall: **Min:** 95mm (3.7") - **Max:** 525mm (20.7")



Registered Design Number: 001713280-0008




fullmotionmounts

BT7535

Double Arm - Medium / Large

Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for medium/large flat screens up to 50" (127cm) / 40kg (88lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100, 200 x 100, 200 x 200, 200 x 300, 300 x 200, 300 x 300, 400 x 200, 400 x 300 and 400 x 400mm
- Easy tilt adjustment: +/-15°
- Distance from wall: **Min:** 163mm (6.4") - **Max:** 571mm (22.5")



Registered Design Number: 001713280-0015



fullmotionmounts




Easy 1-2-3 Step Installation. B-Tech mounts are supplied pre-assembled for a quick and easy installation every time.

Space Saving Design


Flat screen wall arms have been designed to save space. When the screen is in use, you can adjust your screen to the perfect viewing position. When you've finished watching, simply push the screen back against the wall and the **CLIPLOGIC™** cable clips will ensure your cables stay tidy.



fullmotionmounts



Example Installation Aerial View



BT8200-PRO

Fixed - Medium

Ultra-Slim Universal Flat Screen Wall Mount

- Designed for medium flat screens up to 45" (114cm) / 35kg (77lbs)
- Fits screens with mounting patterns up to **H: 240mm (9.6") x V: 200mm (7.9")** including screens using VESA® fixings up to 200 x 200mm
- Ultra-slim design mounts screen only 14mm (0.6") from wall
- Patent Pending 'Torsion-Lock' security

VESA 200

45" 114cm

35kg



Registered Design Number: 001713280-0037 Patent Application Numbers: 1013143.1 (UK), 11006364.1 (European)

BT8421-PRO

Fixed - Medium

Universal Flat Screen Wall Mount

- Designed for medium flat screens up to 55" (140cm) / 35kg (77lbs)
- Fits screens with mounting patterns up to **H: 465mm (18.3") x V: 400mm (15.7")** including screens using VESA® fixings up to 400 x 400mm using included extension arms
- Mounts screen 30mm (1.2") from wall
- Locking bar included for secure installation *Padlock not included

VESA 400

55" 140cm

35kg



Registered Design Number: 001713280-0033



BT8210-PRO

Fixed - Large

Ultra-Slim Universal Flat Screen Wall Mount

- Designed for large flat screens up to 55" (140cm) / 50kg (110lbs)
- Fits screens with mounting patterns up to **H: 440mm (17.4") x V: 400mm (15.7")** including screens using VESA® fixings up to 400 x 400mm
- Ultra-slim design mounts screen only 14mm (0.6") from wall
- Patent Pending 'Torsion-Lock' security

VESA 400

55" 139cm

50kg



Registered Design Number: 001713280-0038 Patent Application Numbers: 1013143.1 (UK), 11006364.1 (European)

BT8422-PRO

Fixed - X-Large

Universal Flat Screen Wall Mount

- Designed for extra large flat screens up to 80" (203cm) / 70kg (154lbs)
- Fits screens with mounting patterns up to **H: 825mm (32.5") x V: 500mm (19.7")** including screens using VESA® fixings up to 800 x 500mm
- Mounts screen 30mm (1.2") from wall
- Locking bar included for secure installation *Padlock not included

VESA 800 x 500

80" 203cm

70kg



Registered Design Number: 001713280-0034



BT8220-PRO

Fixed - X-Large

Ultra-Slim Universal Flat Screen Wall Mount

- Designed for extra large flat screens up to 80" (203cm) / 70kg (154lbs)
- Fits screens with mounting patterns up to **H: 840mm (33.2") x V: 500mm (19.7")** including screens using VESA® fixings up to 800 x 500mm
- Ultra-slim design mounts screen only 14mm (0.6") from wall
- Patent Pending 'Torsion-Lock' security

VESA 800 x 500

80" 203cm

70kg



Registered Design Number: 001713280-0018 Patent Application Numbers: 1013143.1 (UK), 11006364.1 (European)

BT9903

Fixed - Heavy Duty

Heavy Duty Universal Flat Screen Wall Mount

- Designed for extraheavy duty flat screens from 65" upwards
- Max weight: 130kg (287lbs)
- Fits screens with VESA and non-VESA® mounting patterns up to **H: 1100mm (43.3") x V: 730mm (28.7")**
- Mounts screen 30mm (1.2") from wall

130kg



Ultra-Slim Features



Unique 'Torsion-Lock' screen locking mechanism* prevents unauthorised removal *PATENT PENDING



Ultra-Slim design for a close to the wall installation



Spacers included for ventilation and to provide extra room for cable inputs

BT8221

Double Arm - X-Large



Ultra-Slim Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for large screens up to 65" (165cm) / 36kg (80lbs)
- Fits screens with VESA® and non-VESA® fixings up to 600 x 400mm
- Easy tilt adjustment +/-15° (no tools required)
- Distance from wall: **Min:** 37mm (1.5") - **Max:** 560mm (22")
- Attractive coverplates included to hide fixings
- Integrated cable management and spirit level bubble
- Suitable for concrete / brick or stud walls up to 16"



BT8431-PRO

Tilt - Medium / Large



Universal Flat Screen Wall Mount with Tilt

- Designed for medium/large flats screens up to 55" (140cm) / 35kg (77lbs)
- Simple tilt adjustment +/-18°
- Fits screens with mounting patterns up to **H:** 465mm (18.3") x **V:** 400mm (15.7") including screens using VESA® fixings up to 400 x 400mm
- Mounts screen only 80mm (3.1") from wall
- Unique 'Torsion-Tilt' mechanism
- Locking bars included for secure installation
- Suitable for concrete / brick or stud walls up to 16" stud walls
- Suitable for pole mounting - see below



Registered Design Number: 001713280-0035 Patent Application Number: 8170235

BT8432-PRO

Tilt - X-Large



Universal Flat Screen Wall Mount with Tilt

- Designed for extra large flat screens up to 80" (203cm) / 70kg (154lbs)*
- Simple tilt adjustment +/-15°
- Fits screens with mounting patterns up to **H:** 825mm (32.5") x **V:** 500mm (19.7") including screens using VESA® fixings up to 800 x 500mm
- Mounts screen only 80mm (3.1") from wall
- Unique 'Torsion-Tilt' mechanism
- Locking bars included for secure installation
- Suitable for concrete / brick or stud walls up to 32" stud walls
- Suitable for pole mounting - see below



Registered Design Number: 001713280-0036 Patent Application Number: 8170235

*35kg (77lbs) when pole mounted

Universal Features



Unique 'Torsion-Tilt'™ featured on BT8431 & BT8432
*PATENT PENDING



Easy 1-2-3 Step Installation

BT7841

NEW

Collar Mounting

BT4041

Fit BT8431 or BT8432 to ø50mm or ø60mm poles



- Allows BT8431 and BT8432 to be mounted to ø50mm or ø60mm poles
- Use BT7841 for ø50mm poles
- Use BT4041 for ø60mm poles

BT7502

VESA 200 x 200

VESA® Adaptor Plate*




Registered Design Number: 001713280-0001

- Converts VESA® 75 x 75mm, 100 x 100mm or 200 x 100mm to VESA® 200 x 200mm
- Can also convert to 200 x 100mm

BT7505

Universal

Universal Flat Screen Adaptor*



- Converts VESA® 75 x 75 or 100 x 100mm to a universal interface with maximum screen fixings of **H:** 123mm (4.8") - 570mm (22.4") x **V:** 300mm (11.8")

BT7564

NEW

VESA® Adaptor Arms*



Registered Design Number: 001713280-0016

VESA 600 x 400

IDEAL FOR USE WITH BT8310, BT8311 & BT8350



Mounted Vertically



Mounted Horizontally

- Converts VESA® 400 x 400mm to VESA® 600 x 400mm
- Ideal for use with B-Tech video wall mounts, simply attach to BT8310, BT8311, BT8350 or BT8351 to allow use with screens with VESA mounting patterns of 600 x 400mm

BT7542

VESA® Adaptor Arms*



Registered Design Number: 001713280-0017

VESA 200 x 100

VESA 200 x 200

- Converts VESA® 100 x 100mm to VESA® 200 x 100mm or converts VESA® 200 x 100mm to VESA® 200 x 200mm

BT7540

VESA® Adaptor Arms*



Registered Design Number: 001713280-0016

VESA 400 x 200

- Converts VESA® 200 x 200mm to VESA® 300 x 200 or 400 x 200mm
- Use two sets to convert to VESA® 300 x 300, 400 x 300 or 400 x 400

***Important: Screen size and weight limit dependant on mount to which the adaptor is attached.**



MOUNTING SOLUTIONS FOR DIGITAL SIGNAGE

B-Tech's vast range of professional mounts has been expanded to provide a variety of mounting solutions which meet the demand of this rapidly growing area of the AV industry. Several options for mounting screens in a back-to-back scenario are available as well as mounting solutions for video walls such as our **Pop-In, Pop-Out Video Wall Mount** and the **Modular Freestanding Video Wall Mount**, both of which are designed to have very short installation times.

BT8010

Wall Mounting Unit

Flat Screen Wall Mounting Unit for Large Screens



- Designed for medium/large flat screens up to 50" (127cm) / 70kg (154lbs)
- Fits screens with mounting patterns up to **H: 755 (29.7") x V: 410mm (16.1")** including screens using VESA® fixings up to 600 x 400mm
- Features integrated cable management
- Contemporary Graphite Black finish
- AV Component glass shelf available separately (*BT7165 - see below*)



Registered Design Number: 001713280-0049

BT7165

AV Component Shelf

For use with BT8010



- Glass shelf designed for AV equipment up to 7.5kg (17lbs)
- Shelf dimensions: 450mm (17.7") x 320mm (12.6")

*Picture shows 2 shelves mounted to a BT8010 (available separately)



BT8320

Portrait Mounting

Flat Screen Wall Mount for Portrait Digital Signage Displays




- Designed for medium/large flat screens up to 55" (140cm) / 70kg (154lbs)
- Maximum distance between fixings: **H: 410mm (16.1") x V: 755mm (29.7")**
- Fits VESA® fixings up to 600 x 400mm
- Can also be fitted in landscape style
- Mounts screens just 41mm (1.6") from the wall
- Simple 'hook-on' installation with all mounting hardware included



BT8350

Video Wall Mount



Example 3x3 screen configuration



Professional Free Standing Video Wall Mount with multiple configurations

- Designed for narrow bezel monitors of 46", 55" and 60" up to 50kg (110lbs) per monitor
- Modular floor mount for multiple floor display configurations
- Unlimited amount of vertical columns and up to 7 horizontal rows - order to your exact requirements
- Suitable for landscape or portrait screen mounting
- Quick and easy assembly and disassembly
- Captive wingnuts and screws used to secure structure - no loose bolts!
- Strong Iron structure, painted with Epoxy powder
- Reinforced frame for repeated assembly
- Monitors can be mounted to the center of the mount or, to avoid trip hazards, towards the front of the mount with use of added ballast support

ORDER TO YOUR EXACT REQUIREMENTS

- Choose the screen size
- Choose number of columns
- Choose number of rows
- Choose the floor height



Choice of floor height options



Adjustable height levelling feet



Tool-less micro-adjustments



Captive wingnuts and screws - no loose bolts!



BT8350

Customise Your Free Standing Video Wall Mount - Ordering Options

BT8350-HFA

Hanging Frame

With our hanging frame the BT8350 can be suspended from a secure ceiling. The frame attaches to the top and rear of the BT8350 and can hold up to 5 screens per column, with a maximum weight of 350kg per column.



BT8350-CW

Castors

The BT8350 comes with height adjustable levelling feet as standard but we also offer options to fit castors as an alternative if there is a requirement for the video wall to be mobile once assembled. Several options are available depending on your requirement and must be specified at the time of ordering, please speak to your Area Sales Manager for more information.




Braked castors feature swivel in all directions.

BT8351

Pop-In, Pop-Out Solution

For spaces with limited access the **BT8350** can be ordered with the **BT8310 Pop-In, Pop-Out Video Wall Mount** to create a **BT8351**


The BT8350 can be ordered with the BT8310 pop-in/pop-out wall mount to increase accessibility to the screens when access to the rear of the video wall is limited. The Push to open / push to close system provides quick and easy service access and features 8 tool-less micro-adjustment points for seamless alignment of the wall display.



BT8350-FBFK

Floor Base Fixing Kit

For a totally secure installation our floor base fixing kit allows your BT8350 to be bolted down to a concrete floor, preventing the frame from being moved. Using the floor base fixing kit will also allow you to build taller video walls without the need to add ballast to support the floor base. Each kit comes with 4 brackets per base.



BT8350

Installation Video Guide


With an estimated build time of just 20 minutes to complete a 3 x 3 video wall, putting together your frame couldn't be easier.

To show how easy it is to set up the BT8350 we have created a short 6 minute video demonstrating the ease of installing the most popular video wall configuration - 3 x 3.

Visit www.btechavmounts.com/BT8350 to watch the demonstration video under the 'Video' tab at the bottom of the page.



Scan here
to view the
installation video



How to Choose Your Free Standing Video Wall Mount

1. Select your monitor size: 46", 55", 60"
2. Decide on landscape or portrait monitor mounting.
3. Decide on amount of vertical columns and horizontal rows.
4. Visit our online configurator for your mounting solution:


www.btechavmounts.com/bt8350-configurator

If you have a requirement which is not covered by the options above or by the configurator please speak to your B-Tech Sales Manger as the BT8350 is a custom mounting solution which can be tailored to your requirement.



Maximum Configurations


For **landscape** configurations:



Install unlimited vertical columns and horizontal rows up to 7 monitors (dependant on screen size)

**You may also select from various floor heights for your Video Wall Mount*

For **portrait** configurations:




BT8350

Multiple configurations


The BT8350 is a modular solution which can be used in multiple mounting configurations making it ideal for temporary or rental video wall applications.

For example, purchasing a 4x4 screen configuration as shown here will allow you to mount screens in all of the different configurations shown below.

BUY A 4x4 FREESTANDING VIDEO WALL MOUNT



USE IT FOR ANY OF THESE CONFIGURATIONS



There are several options which must be specified whilst ordering to ensure the BT8350 is configured to your specific requirements. These include: screen size, desired number of horizontal rows and vertical columns and finally, the height from the floor.

Please visit www.btechavmounts.com/BT8350 or contact us to specify your exact requirements and we will advise you on your ideal solution.

BT8310

Video Wall Mount



Example 3x3 Landscape

Professional Video Wall Mount

- Dramatically shorten installation times by reducing the need for measuring and complicated calculations with the use of screen specific spacers and 8 point micro-adjustments for perfectly aligned screens every time
- Designed for large video wall screens up to 50kg (110lbs)
- Modular mount for unlimited wall display configurations
- Fits screens with VESA® mounting patterns from 200 x 200mm up to 400 x 400mm
- VESA® adaptor kit available for mounting patterns of 600 x 400mm or 800 x 400mm
- Screen model-specific wall plate spacers are available and dramatically shorten install times by eliminating guesswork and on-site installation calculations
- Suitable for landscape or portrait screen mounting
- Ideal solution for mounting video walls or single screens into recessed walls
- Tool-less micro-adjustments at 8 points for seamless display alignment - see page 18 for more info
- Displays click securely into place against the wall with spring-loaded mechanism
- Push to open / push to close system provides quick and easy service access
- Integrated cable management
- Safety screws to help prevent unauthorised removal of the screen



Scan here
to view the
installation video



91mm



8 tool-less adjustment points



281mm



- Please note the recommended minimum screen size which can be mounted is 42" with a minimum screen height of 542mm when mounted in a landscape configuration and 557mm when mounted in a portrait configuration

BT8310-AD

Interface Adaptors

Interface Adaptor Kits for BT8310 and BT8311 Video Wall Mount

- Simply attach to BT8310 or BT8311 to allow use with screens with VESA mounting patterns of 600 x 400mm or 800 x 400mm



BT8310-AD64

- For use with 600 x 400mm VESA mounting patterns.

BT8310-AD86

- For use with 800 x 400mm VESA mounting patterns.



Mounted Vertically



Mounted Horizontally



BT8310-SP


Custom Wall Plate Spacers for BT8310 and BT8311 Video Wall Mount

- Eliminate tedious alignment calculations and guess work
- Spacers available for all video wall screen brands such as LG, Samsung, Sharp, Philips, NEC, and Orion
- Only one spacer kit is required per install and can be re-used for multiple installations
- See table below to find out which spacer is required for your installation

Spacer Kits



Wall plate spacers are available for the **BT8310** and **BT8311** that eliminate tedious alignment calculations, meaning less time is wasted through measuring and 'guesswork'. These spacers are available to order separately and are screen specific for all popular brands. **To find out which spacer kit is needed for a specific screen please see the table below.**



Mounting with Spacers - Landscape



If your screen is not listed in the table below please go to www.btechavmounts.com/BT8310 or scan the QR code above to view the most up to date list.



Mounting with Spacers - Portrait

Accessories - VESA Adaptors and Spacers for BT8310 and BT8311

This list reflects the latest videowall screens available on the market (at the time of printing), for a complete list, including older models, please see www.btechavmounts.com/BT8310

Screen Brand	Model	Screen Size	Spacer Available	Adaptor Required
LG	42WS50B*	42" (961 x 555mm)	BT8310-SP422/N *	Not Required
NEC	X464UN-2	46" (1026 x 580mm)	BT8310-SP461/N	Not Required
PHILIPS	BDL4675XU	46" (1026 x 578mm)	BT8310-SP461/N	Not Required
SAMSUNG	UD46D	46" (1022 x 577mm)	BT8310-SP461/N	BT8310-AD64/B
SAMSUNG	UD46C	46" (1024 x 578mm)	BT8310-SP461/N	BT8310-AD64/B
SAMSUNG	UE46C	46" (1030 x 585mm)	BT8310-SP462/N	Not Required
SAMSUNG	UE46D	46" (1031 x 585mm)	BT8310-SP462/N	Not Required
LG	47WV50	47" (1045 x 590mm)	BT8310-SP471/N	BT8310-AD64/B
LG	47WV30	47" (1047 x 592mm)	BT8310-SP471/N	BT8310-AD86/B
LG	47LV35A-5B	47" (1047 x 592mm)	BT8310-SP471/N	BT8310-AD64/B
PANASONIC	TH-47LV5W	47" (1047 x 592mm)	BT8310-SP471/N	BT8310-AD64/B
SAMSUNG	UD55D	55" (1214 x 684mm)	BT8310-SP551/N	BT8310-AD64/B
LG	55LV35A-5B	55" (1215 x 686mm)	BT8310-SP551/N	BT8310-AD64/B
LG	55WV70	55" (1215 x 686mm)	BT8310-SP551/N	BT8310-AD64/B
CHRISTIE	FHD551-X	55" (1215 x 686mm)	BT8310-SP551/N	BT8310-AD64/B
PHILIPS	BDL5585XL	55" (1215 x 686mm)	BT8310-SP551/N	Not Required
NEC	X554UN	55" (1215 x 686mm)	BT8310-SP551/N	Not Required
SAMSUNG	UD55C	55" (1215 x 686mm)	BT8310-SP551/N	BT8310-AD64/B
SAMSUNG	UE55D	55" (1221 x 693mm)	BT8310-SP552/N	Not Required
MITSUBISHI	MDT52S	55" (1248 x 719mm)	BT8310-SP553/N	Not Required
SHARP	PN-V601	60" (1336 x 755mm)	BT8310-SP601/N	Not Required

If you have a bespoke spacer requirement we are also able to make these to order with no M.O.Q.

* This screen and spacer is not suitable for portrait mounting.



BT8311

NEW

Video Wall Mount



Example 2 x 2 Landscape

Professional Video Wall Mount

- Dramatically shorten installation times by reducing the need for measuring and complicated calculations with the use of screen specific spacers and 8 point micro-adjustments for perfectly aligned screens every time
- Designed for large video wall screens up to 50kg (110lbs)
- Fits screens with VESA® mounting patterns from 200 x 200mm up to 400 x 400mm
- VESA® adaptor kit available for mounting patterns of 600 x 400mm or 800 x 400mm - See previous page
- Tool-less micro-adjustments at 8 points for seamless display alignment - see below
- Modular mount for unlimited wall display configurations
- To allow access to the micro-adjustment in video wall configurations with more than 2 rows, it is recommended that the BT8311 be used in conjunction with BT8310 pop-in, pop-out video wall mount - See opposite page for more information
- Screen model-specific wall plate spacers are available and dramatically shorten install times by eliminating guesswork and on-site installation calculations - See previous page
- Suitable for landscape or portrait screen mounting
- Integrated cable management
- Safety screws to help prevent unauthorised removal of the screen
- Please note the recommended minimum screen size which can be mounted is 42" with a minimum screen height of 542mm when mounted in a landscape configuration and 571mm when mounted in a portrait configuration





Registered Design Number: 002445890-0001

When used with
BT8310-AD64/B
Adaptor

When used with
BT8310-AD86/B
Adaptor

8 Point tool-less micro-adjustments for seamless display alignment



- 1: Independently adjust the depth of each corner of the screen by up to 14mm
- 2: 12mm vertical adjustment to raise or lower screen position
- 3: Laterally adjust and lock the screen into position

BT8311

NEW

Example Installations

Applications

In addition to wall mounting, the BT8311 is collar compatible, making possible an endless amount of pole mounted configurations which utilise either horizontal or vertically mounted poles.




Using BT8311 together with the BT8310


In order to access all of the adjustment options when wall mounted in configurations with 3 or more rows, it is recommended that the BT8311 is used together with the BT8310. It is recommended that these mounts should be used in alternating rows to ensure easy access during installation and throughout any future servicing of the screens.



2 x 2 Installation (No BT8310 required)



3 x 3 Installation (3 BT8310s recommended)



2 x 5 Installation (4 BT8310s recommended)

BT8540

Low Level Trolley



Low Level Flat Screen Trolley

- Designed for use with touch screens up to 65" (165cm) / 70kg (154lbs)
 - Maximum distance between fixings:
H: 755mm (29.7") x **V:** 410mm (16.1")
 - Fits all VESA® fixings up to 600 x 400mm
 - Easy adjustment of tilt: -90° with fixed positions of 0°, -22.5°, -45°, -67.5° and -90°
 - Mounts screen in landscape or portrait style
 - Non-marking 4" locking/braked castors included
 - Also supplied with optional screw in levelling feet
 - 0.5m ø60mm poles supplied with cable management holes
 - Trolley Dimensions (including wheels):
Height: 870mm (34.3")*
Depth: 774mm (30.5")
Width: 1130mm (44.5")
 - Available in 2 colour options:
BT8540/BB - Black Base with Black Poles
BT8540/BC - Black Base with Chrome Poles
- *Additional height options are available, please contact us for more information

BT8541

Low Level Floor Stand




Low Level Flat Screen Floor Stand

- Designed for use with touch screens up to 65" (165cm) / 70kg (154lbs)
 - Maximum distance between fixings:
H: 755mm (29.7") x **V:** 410mm (16.1")
 - Fits all VESA® fixings up to 600 x 400mm
 - Easy adjustment of tilt: -90° with fixed positions of 0°, -22.5°, -45°, -67.5° and -90°
 - Mounts screen in landscape or portrait style
 - 0.5m ø60mm poles supplied with cable management holes
 - Can be used freestanding or bolted to the floor
 - Floor Stand Dimensions:
Height: 707mm (27.8")*
Depth: 610mm (24")
Width: 890mm (35")
 - Available in 3 colour options:
BT8541/BB - Black Base with Black Poles
BT8541/BC - Black Base with Chrome Poles
BT8541/SC - Silver Base with Chrome Poles
- *Additional height options are available, please contact us for more information

BT7504

Medium Trolley



**Optional Accessory Shelves
Also Available - See Pages 30 and 31*



Medium Flat Screen Display Trolley/Stand

- Stylish trolley designed for screens up to 42" (107cm) / 24kg (53lbs)
- Fits screens with VESA® mounting patterns: 75 x 75, 100 x 100, 200 x 100 and 200 x 200mm
- Non-marking 2" braked castors included and also supplied with optional screw in levelling feet
- 1.1m ø50mm diameter Chrome pole supplied with 4 cable management holes
- Trolley Dimensions (including wheels): Height: 1210mm (47.6") Depth: 455mm (17.9") Width: 735mm (28.9")



Braked castors & optional levelling feet are supplied



BT8503

Large Trolley



*Optional Accessory Shelves
Also Available - See Pages 30 and 31*



Large Flat Screen Trolley/Stand Designed for Quick and Easy Installation

- Heavy duty stylish flat screen trolley designed for screens up to 60" (152cm) / 50kg (110lbs)
- Maximum distance between horizontal fixings: 800mm (31.5")
- Fits all VESA® fixings up to 800 x 600mm (or 800 x 400mm in portrait style)
- Mounts screen in landscape or portrait style
- Includes universal flat screen interface kit
- 1.8m ø50mm black poles supplied with 5 cable management holes
- Non-marking 3" locking / braked castors included
- Also supplied with optional screw in levelling feet
- Trolley dimensions (including wheels): Height: 1945mm Depth: 785mm Width: 1118mm
- Includes BT7057 pole ring
- Keyhole 'hook-on' feature for easy installation



Braked castors & optional levelling feet are supplied



BT8551

Single Screen

Medium / Large Flat Screen Display Stand with Tilt

- Designed to mount medium / large screens up to 55" (140cm) / 35kg (77lbs)
- Fits screens with mounting patterns up to **H: 465mm (18.3") x V: 400mm (15.7")** including VESA® patterns up to 400 x 400mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-18°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8551-100: 1.1 Metre Poles / BT8551-150: 1.5 Metre Poles / BT8551-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles



Registered Design Number: 001713280-0035 Patent Application Number: B17023.5

BT8552

Back-to-Back Screens

Medium / Large Back-to-Back Flat Screen Display Stand with Tilt

- Designed to Back-to-Back mount 2 medium / large screens up to 55" (140cm) / 35kg (77lbs) per screen
- Fits screens with mounting patterns up to **H: 465mm (18.3") x V: 400mm (15.7")** including VESA® patterns up to 400 x 400mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-18°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8552-100: 1.1 Metre Poles / BT8552-150: 1.5 Metre Poles / BT8552-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles



Per Screen

Registered Design Number: 001713280-0035 Patent Application Number: B17023.5

BT8553

Single Screen

Extra-Large Flat Screen Display Stand with Tilt

- Designed to mount large / extra large screens up to 65" (165cm) / 35kg (77lbs)
- Fits screens with mounting patterns up to **H: 825mm (32.5") x V: 500mm (19.7")** including VESA® patterns up to 800 x 500mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-15°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8553-100: 1.1 Metre Poles / BT8553-150: 1.5 Metre Poles / BT8553-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles



Registered Design Number: 001713280-0036 Patent Application Number: 8170235

BT8554

Back-to-Back Screens

Extra-Large Back-to-Back Flat Screen Display Stand with Tilt

- Designed to Back-to-Back mount 2 large / extra large screens up to 65" (165cm) / 35kg (77lbs) per screen
- Fits screens with mounting patterns up to **H: 825mm (32.5") x V: 500mm (19.7")** including VESA® patterns up to 800 x 500mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-15°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8554-100: 1.1 Metre Poles / BT8554-150: 1.5 Metre Poles / BT8554-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles



Registered Design Number: 001713280-0036 Patent Application Number: 8170235

BT8510

Medium Screens

Mobile Twin Screen Video Conferencing Trolley with Camera Shelf

1.5m Poles
(longer Poles available on request)

- Heavy duty stylish flat screen trolley suitable for holding two screens up to 32" (81cm) / 35kg (77lbs) per screen
- Fits screens with mounting patterns up to **H:** 465mm (18.3") x **V:** 400mm (15.7") including screens using VESA® fixings up to 400 x 400mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- Available in 2 colour options:
BT8510/BB - Black Base with Black Poles,
BT8510/BC - Black Base with Chrome Poles



BT8511

Medium / Large Screens

Mobile Twin Screen Video Conferencing Trolley with Camera Shelf

1.5m Poles
(longer Poles available on request)

- Heavy duty stylish flat screen trolley suitable for holding two screens up to 42" (107cm) / 35kg (77lbs) per screen
- Fits screens with mounting patterns up to **H:** 825mm (32.5") x **V:** 500mm (19.5") including screens using VESA® fixings up to 800 x 500mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- Available in 2 colour options:
BT8511/BB - Black Base with Black Poles,
BT8511/BC - Black Base with Chrome Poles



BT8520

Medium Screens

Twin Screen Video Conferencing Stand with Camera Shelf

1.5m Poles
(longer Poles available on request)

- Heavy duty stylish flat screen stand suitable for holding two screens up to 32" (81cm) / 35kg (77lbs) per screen
- Fits screens with mounting patterns up to **H:** 465mm (18.3") x **V:** 400mm (15.7") including screens using VESA® fixings up to 400 x 400mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Available in 3 colour options:
BT8520/BB - Black Base with Black Poles, BT8520/BC - Black Base with Chrome Poles, BT8520/SC - Silver Base with Chrome Poles



BT8521

Medium / Large Screens

Twin Screen Video Conferencing Stand with Camera Shelf


1.5m Poles
(longer Poles available on request)

- Heavy duty stylish flat screen stand suitable for holding two screens up to 42" (107cm) / 35kg (77lbs) per screen
- Fits screens with mounting patterns up to **H:** 825mm (32.5") x **V:** 500mm (19.5") including screens using VESA® fixings up to 800 x 500mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Available in 3 colour options:
BT8521/BB - Black Base with Black Poles, BT8521/BC - Black Base with Chrome Poles, BT8521/SC - Silver Base with Chrome Poles



BT7864

Twin Pole VC Shelf



*Trolley and collars sold separately

VC Camera Shelf for Twin Pole Floor Stands

- Designed to mount a video conferencing camera centrally between 2 poles
- Ideal for use with B-Tech trolleys
- Max load 4kg
- Compatible with single and double attachment collars (sold separately)
- Compatible with ø50mm and ø60mm collars



BT8504

Large Trolley

Large Flat Screen Display Trolley/Stand

- Heavy duty flat screen trolley designed for screens up to 65" (165cm) / 70kg (154lbs)
- Maximum distance between fixings:
H: 755mm (29.7") x **V:** 410mm (16.1")
- Fits all VESA® fixings up to 600 x 400mm
- Mounts screen in landscape or portrait style
- Includes universal flat screen interface kit
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- 1.5m ø60mm poles supplied with 5 cable management holes
- Trolley Dimensions (including wheels):
Height: 1675mm (66.9") Depth: 774mm (30.5") Width: 1130mm (44.5")
- Available in 3 colour options:
BT8504/BB - Black Base with Black Poles
BT8504/BC - Black Base with Chrome Poles
BT8504/SC - Silver Base with Chrome Poles

***Optional Accessory Shelves Also Available - See and Pages 30 and 31**



Braked castors & optional levelling feet are supplied



BT8505

Large Glass Base Trolley

Large Flat Screen Display Trolley with Glass Base

- Designed for flat screens up to 55" (140cm) / 40kg (88lbs)
- Fits screens with mounting patterns up to:
H: 700mm (27.6") x **V:** 400mm (15.7") including all VESA® fixings up to 600 x 400mm
- Easy tilt adjustment +15° / -5°
- Includes Accessory shelf to hold AV equipment up to 7.5kg (17lbs)
- Cable management included
- Trolley dimensions (including wheels):
Height: 1910mm (75.2") Width: 1000mm (39.4") Depth: 500mm (19.7")
- 10mm (0.4") tempered piano black safety glass base (BS6206)

Additional Accessory Shelves available separately (see below)



BT7165

AV Component Shelf

For use with BT8505

- Glass shelf designed for AV equipment up to 7.5kg (17lbs)
 - Shelf dimensions:
450mm (17.7") x 320mm (12.6")
- *Picture shows 2 shelves mounted to a BT8505 (available separately)*



BT8506

NEW

Heavy Duty



Extra-Large Flat Screen Display Trolley

- Heavy duty flat screen trolley designed for screens larger than 65"
- Ideal for heavy duty touch screen displays
- Max weight: 130kg (287lbs)
- Fits screens using VESA® and non-VESA® fixings up to 1100 x 730mm
- Adjustment screws allow screen to be levelled once mounted
- Trolley base disassembles for easy transportation or storage
- Simple 'hook-on' installation with all mounting hardware included
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- Back cover included to hide unsightly cables
- 1.5m ø60mm poles supplied with 5 cable management holes
- Trolley Dimensions (including wheels):
Height: 1657mm (65.2") Depth: 810mm (31.9") Width: 1653mm (65")
- Colour: Black Base with Chrome Poles



*Optional Accessory Shelves Also Available See page 30



Braked castors & optional levelling feet are supplied



BTF820

Video Conferencing Trolley



TV / Video Conferencing Trolley

- Video conferencing stand designed for flat screens up to 60" (152cm) / 40kg (88lbs)
- Fits screens using VESA® and non-VESA® fixings up to 600 x 400mm
- Premium high gloss finish
- Includes Accessory Shelf. Max shelf weight: 10kg (22lbs)
- Glass shelf thickness:
Conference camera shelf: 8mm, Lower Shelf: 8mm
- Concealed cable management
- Dimensions:
W: 725mm (28.5") **D:** 680mm (26.8")
H: Min: 1150mm (45.2") Max: 1300mm (51.1") (to centre of mount)
- Wheeled castors
- Tempered glass shelves toughened to BS6206A standard
- *Optional camera shelf included



BTF800

Square Base



Flat Screen TV Stand with Square Base


- Designed for flat screens up to 60" (152cm) / 30kg (66lbs)
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Easy swivel adjustment 60°
- Stylish stainless steel pole finish
- Concealed castors and cable management
- Includes Accessory Shelf - Max weight: 10kg (22lbs)
- Glass shelf thickness: 6mm
- Dimensions: **W:** 500mm (19.7") **D:** 500mm (19.7")
H: 975mm (38.3") (to centre of mount)
- Tempered glass shelves toughened to BS6206A standard

Additional Accessory Shelves Available Separately See below

BT7167

AV Component Shelf

For Use with BTF800/801



- Designed to hold AV equipment such as DVD, Blu-ray® players and game consoles up to 10kg (22lbs)
- Glass Shelf thickness: 6mm
- Dimensions: **W:** 450mm (17.7") **D:** 365mm (14.3")
- Tempered glass toughened to BS6206A standard

BTF801

Round Base



Flat Screen TV Stand with Round Base


- Designed for flat screens up to 55" (140cm) / 30kg (66lbs)
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Easy swivel adjustment 60°
- Stylish stainless steel pole finish
- Concealed cable management
- Dimensions: **W:** 500mm (19.7") **D:** 500mm (19.7")
H: 975mm (38.3") (to centre of mount)
- Tempered glass toughened to BS6206A standard

Optional Accessory Shelf Available Separately See below

BT7167

AV Component Shelf

For Use with BTF800/801



- Designed to hold AV equipment such as DVD, Blu-ray® players and game consoles up to 10kg (22lbs)
- Glass Shelf thickness: 6mm
- Dimensions: **W:** 450mm (17.7") **D:** 365mm (14.3")
- Tempered glass toughened to BS6206A standard

BTF810

1 Metre TV Stand



1m Flat Screen Display Stand with Shelf

- Designed for flat screens up to 60" (152cm) / 35kg (77lbs)
- Fits screens using VESA® and non-VESA® fixings up to 600 x 400mm
- High gloss and premium finish
- 360° revolving base
- Includes Accessory Shelf. Max weight: 10kg (22lbs)
- Glass shelf thickness: 8mm
- Concealed castors and cable management
- Dimensions:
W: 500mm (19.7") **D:** 500mm (19.7")
H: Min: 915mm (36") Max: 965mm (38") (to centre of mount)
- Tempered glass shelf toughened to BS6206A standard



BTF811

1.2 Metre TV Stand



1.2m Flat Screen Display Stand with Shelf

- Designed for flat screens up to 46" (117cm) / 20kg (44lbs)
- Fits screens using VESA® and non-VESA® fixings up to 400 x 400mm
- High gloss and premium finish
- 360° revolving base
- Includes Accessory Shelf. Max weight: 10kg (22lbs)
- Glass Shelf thickness: 8mm
- Concealed castors and cable management
- Dimensions:
W: 500mm (19.7") **D:** 500mm (19.7")
H: Min: 1150mm (45.2") Max: 1300mm (51.2") (to centre of mount)
- Tempered glass shelf toughened to BS6206A standard



BT7166

Premium Glass Shelf

Accessory Shelf for use with BTF810 / BTF811 / BTF820



- Designed for AV equipment such as DVD / Blu-ray® players and games consoles up to 10kg (22lbs)
- Glass Shelf thickness: 8mm
- Dimensions: **W:** 450mm (17.7") **D:** 365mm (14.3")
- Tempered glass toughened to BS6206A standard
- Can also be wall mounted



BT7167

Premium Glass Shelf

Accessory Shelf for use with BTF801



- Designed for AV equipment such as DVD / Blu-ray® players and games consoles up to 10kg (22lbs)
- Glass Shelf thickness: 8mm
- Dimensions: **W:** 450mm (17.7") **D:** 365mm (14.3")
- Tempered glass toughened to BS6206A standard



BT7162

BT7164

BT7163

Glass Shelves



Small Glass Shelf

- Can be mounted across 1 pole
- Shelf dimensions: 350mm (13.8") x 300mm (11.8")
- 10mm thick tempered safety glass
- Must be used with 1x BT7171 & B-Tech Collar



Medium Glass Shelf

- Can be mounted across 1 pole
- Shelf dimensions: 470mm (18.5") x 310mm (12.2")
- 10mm thick tempered safety glass
- Must be used with 1x BT7171 & B-Tech Collar



Large Glass Shelf

- Can be mounted across 1 or 2 poles
- Shelf dimensions: 500mm (19.7") x 380mm (15")
- 10mm thick tempered safety glass
- Must be used with 1x or 2x BT7171 & B-Tech Collar

BT7171

Glass Shelf Mount

- Glass shelf mount designed to mount BT7162, BT7163 and BT7164 glass shelves to ø50mm or ø60mm poles



+

for ø50mm poles



or



or

for ø60mm poles



or



Single Poles (use 1x BT7171) Double Poles (use 2x BT7171)



BT7032

NEW

Large AV Accessory Shelf

- Designed to be mounted directly to a wall or to poles - when used in conjunction with B-Tech collars
- Holds AV equipment up to 15kg (33lbs) when used with double poles or 7.5kg (17lbs) when used with a single pole
- Ideal for use with the B-Tech range of trolleys, floor stands, ceiling mounts and floor-to-ceiling pole mounted solutions
- Ideal for use on a back-to-back floor stand setup where a shelf is required on each side
- Shelf dimensions: 500mm (19.7") x 380mm (15")
- Available in durable black powder coated finish



Steel AV Shelf



Single Poles Double Poles Single Poles Double Poles

BT7030

Small Shelf



Small MDF Component Shelf

- Designed for AV equipment up to 5kg (11lbs)
- 300mm x 300mm (11.8" x 11.8")
- Poles, accessory collars and mounts sold separately
- Must be used with B-Tech accessory collar



BT7868

NEW

VC Shelf



Wall Mounted VC Camera Shelf

- Designed to wall mount VC cameras
- Fits most VC cameras with 1/4 inch thread
- Features 100x100mm fixing points
- Ideal for Radvision® XT5000 Codec



BT7036

Projector Shelf



MDF Projector Shelf

- Designed to hold Projectors up to 5kg (11lbs)
- 360mm x 360mm (14.2" x 14.2") with tilt and safety rails
- Tilts +/-20° from horizontal
- Supplied with safety strap
- Poles, accessory collars and mounts sold separately
- Must be used with B-Tech accessory collar



BT7037

Small Shelf



Small Component Shelf

- Low profile component shelf with crossbar provides a rigid platform for all common equipment sizes up to 8kg (18lbs)
- Best suited for equipment up to 430mm wide and 260mm deep
- 4 Polished alloy feet with non-slip rubber inlays included
- Must be used with B-Tech accessory collar



Registered Design Number: 4003647

BT7038

Large Shelf



Wall Mounted Glass AV Component Shelf


- Low profile component shelf with crossbar provides a rigid platform for all common equipment sizes up to 8kg (18lbs)
- Best suited for equipment up to 430mm wide and 330mm deep
- 4 Polished alloy feet with non-slip rubber inlays included
- Must be used with B-Tech accessory collar



Registered Design Number: 4003647

BT7088

Large Glass Shelf



Stylish Glass AV Component Shelf

- Large wall mounted shelf designed to hold AV equipment up to 10kg (22lbs)
- 500mm (19.6") x 398mm (15.6")
- Stylish design integrates with B-Tech Cable Manager (BT7070) for smart installations
- Non-slip polished alloy feet and 10mm (0.3") thick tempered safety glass shelf
- Can also be used as a standalone shelf



Registered Design Number: 4010384, 4003647

BT5810

Fixed



Flat Screen Ceiling Mount

- Flat screen ceiling mount designed for screens up to 23" (58cm) / 20kg (44lbs)
- Suitable for screens using VESA® fixings up to 100 x 100mm
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



Available in 2 lengths

BT5810-075 Ceiling drop*: 795mm

BT5810-150 Ceiling drop*: 1545mm

*to centre of mount

BT5811

Tilt



Flat Screen Ceiling Mount with Tilt

- Flat screen ceiling mount designed for screens up to 23" (58cm) / 20kg (44lbs)
- Suitable for screens using VESA® fixings up to 100 x 100mm
- Features +17° / -10° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



Available in 2 lengths

BT5811-075 Ceiling drop*: 795mm

BT5811-150 Ceiling drop*: 1545mm

*to centre of mount

BT5812

Back-to-Back



Back-to-Back Flat Screen Ceiling Mount with Tilt

- Flat screen ceiling mount designed for two screens up to 23" (58cm) / 20kg (44lbs) per screen
- Suitable for screens using VESA® fixings up to 100 x 100mm
- Features +17° / -10° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



Available in 2 lengths

BT5812-075 Ceiling drop*: 809mm

BT5812-150 Ceiling drop*: 1559mm

*to centre of mount

BT5832

Fixed



Flat Screen Ceiling Mount

- Flat screen ceiling mount designed for screens up to 32" (81cm) / 25kg (55lbs)
- Suitable for screens using VESA® fixings up to 200 x 200mm
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



Available in 2 lengths

BT5832-075 Ceiling drop*: 795mm

BT5832-150 Ceiling drop*: 1545mm

*to centre of mount

BT5833

Tilt



Flat Screen Ceiling Mount with Tilt

- Flat screen ceiling mount designed for screens up to 32" (81cm) / 25kg (55lbs)
- Suitable for screens using VESA® fixings up to 200 x 200mm
- Features +/-40° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



Available in 2 lengths

BT5833-075 Ceiling drop*: 795mm

BT5833-150 Ceiling drop*: 1545mm

*to centre of mount

BT5834

Back-to-Back



Back-to-Back Flat Screen Ceiling Mount with Tilt

- Flat screen ceiling mount designed for two screens up to 32" (81cm) / 20kg (44lbs) per screen
- Suitable for screens using VESA® fixings up to 200 x 200mm
- Features +/-40° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



Available in 2 lengths

BT5834-075 Ceiling drop*: 809mm

BT5834-150 Ceiling drop*: 1559mm

*to centre of mount

BT7553

Tilt & Swivel



Flat Screen Ceiling Mount

- Designed for screens using VESA® mounting patterns 75 x 75 or 100 x 100mm up to 23kg (51lbs)
- Features +/- 10° Tilt
- 360° swivel
- 360° screen rotation
- Integrated cable management
- Coverplate included
- Ceiling fixings and all mounting hardware included



Available in 5 lengths

BT7553-025	25cm Pole
BT7553-050	50cm Pole
BT7553-100	1m Pole
BT7553-150	1.5m Pole
BT7553-200	2m Pole

BT8424

NEW

Tilt



Flat Screen Ceiling Mount with Tilt

- Flat screen ceiling mount designed for screens up to 55" (140cm) / 35kg (77lbs)
- Fits screens with mounting patterns up to **H:** 465mm (18.3") x **V:** 400mm (15.7") including screens using VESA® fixings up to 400 x 400mm
- Features +/- 18° Tilt
- Unique 'Torsion-Tilt' mechanism
- Ceiling drop: 1000mm (39")
- Security locking screw, Allen key and locking bars provided
- Integrated cable management
- Simple 'hook-on' installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



Available in 1 length

BT8424	Ceiling drop: 1000mm
--------	----------------------

*to centre of mount

Flat Screen Ceiling Features

Have you considered ceiling mounting your screen?

In many situations, ceiling mounting a screen is an attractive alternative to wall mounting. Ideal for open plan areas, ceiling mounting allows you to position your screen in the perfect location in the room, without having to focus the rest of the room around a wall. With solutions for both flat and angled ceilings, for either single or double screens B-Tech have mounting options for virtually any application.



Fixed or Adjustable Tilt



Adjustable Mounting Support



Cable Management



Back-to-Back Mounts

BT7554

Small



Flat Screen Ceiling Mount Back-to-Back

- Designed for screens using VESA® mounting patterns 75 x 75 or 100 x 100mm up to 23kg (51lbs) per screen
- Features +/- 10° Tilt
- 360° swivel
- 360° screen rotation
- Integrated cable management
- Coverplate included
- Ceiling fixings and all mounting hardware included



Available in 5 lengths

BT7554-025	25cm Pole
BT7554-050	50cm Pole
BT7554-100	1m Pole
BT7554-150	1.5m Pole
BT7554-200	2m Pole

BT8428

Medium / Large



Flat Screen Ceiling Mount with Tilt

- Designed for two medium/large flat screens up to 55" (140cm) / 35kg (77lbs) per screen
- Fits screens with mounting patterns up to **H:** 465mm (18.3") x **V:** 400mm (15.7") including screens using VESA® fixings up to 400 x 400mm
- Simple tilt adjustment +/- 18°
- Unique 'Torsion-Tilt' mechanism
- Integrated cable management
- Pole can be tilted up to 70° for mounting on angled ceilings
- Supplied with safety bolt and locking bars for a secure installation
- Coverplate included for a smarter installation



Available in 3 lengths

BT8428-100	Ceiling drop*: 952mm
BT8428-150	Ceiling drop*: 1452mm
BT8428-200	Ceiling drop*: 1952mm

*to centre of mount

Registered Design Number: 001713280-0035 Patent Application Number: B1 70235

BT8429

X-Large



Back-to-Back Flat Screen Ceiling Mount with Tilt

- Designed for two extra large flat screens up to 65" (165cm) / 35kg (77lbs) per screen
- Fits screens with mounting patterns up to **H:** 825mm (32.5") x **V:** 500mm (19.7") including screens using VESA® fixings up to 800 x 500mm
- Simple tilt adjustment +/- 15°
- Unique 'Torsion-Tilt' mechanism
- Integrated cable management
- Pole can be tilted up to 70° for mounting on angled ceilings
- Supplied with safety bolt and locking bars for a secure installation
- Coverplate included for a smarter installation



Available in 3 lengths

BT8429-100	Ceiling drop*: 952mm
BT8429-150	Ceiling drop*: 1452mm
BT8429-200	Ceiling drop*: 1952mm

*to centre of mount

Registered Design Number: 001713280-0036 Patent Application Number: B1 70235

BT7582

Small



Adjustable Drop Flat Screen Ceiling Mount with Tilt and Swivel

- Designed for small flat screens up to 23" (58cm) / 10kg (22lbs)
- Fits screens with VESA® mounting patterns: 50 x 50, 75 x 75 and 100 x 100mm
- Adjustable Drop: Min: 560mm (22") - Max: 800mm (31.5")
- Hand lever for easy adjustment of ceiling drop
- Features +/-90° tilt and 360° swivel
- Suitable for angled / cathedral ceilings with +/- 50° tilt at ceiling plate



BT7583

Small



Long Adjustable Drop Flat Screen Ceiling Mount with Tilt and Swivel

- Designed for small flat screens up to 23" (58cm) / 10kg (22lbs)
- Fits screens with VESA® mounting patterns: 50 x 50, 75 x 75 and 100 x 100mm
- Adjustable Drop: Min: 810mm (31.5") - Max: 1310mm (51.6")
- Hand lever for easy adjustment of ceiling drop
- Features +/-90° tilt and 360° swivel
- Suitable for angled / cathedral ceilings with +/- 50° tilt at ceiling plate



BT8425

NEW

Large



Flat Screen Ceiling Mount with Adjustable Drop and Tilt

- Flat screen ceiling mount designed for screens up to 55" (140cm) / 35kg (77lbs)
- Fits screens with mounting patterns up to **H:** 465mm (18.3") x **V:** 400mm (15.7") including screens using VESA® fixings up to 400 x 400mm
- Adjustable Drop: 668mm (26.3") - 943mm (37.1")
- Features +/- 18° Tilt
- Unique 'Torsion-Tilt' mechanism*
- Security locking screw, Allen key and locking bars provided
- Integrated cable management
- Simple 'hook-on' installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



BT8426

Medium / Large

Adjustable Drop Flat Screen Ceiling Mount with Tilt



- Designed for medium / large flat screens up to 55" (140cm) / 40kg (88lbs)
- Fits screens with VESA® mounting patterns from 75 x 75 up to 400 x 400mm
- Adjustable Drop: 625mm (24.6") - 850mm (33.5") (from ceiling to centre of interface)
- Easy adjustment of tilt +15° with fixed positions of 0°, +7.5° and +15°



Registered Design Number: 4003130, 4003650

BT8427

Extra-Large

Adjustable Drop Universal Flat Screen Ceiling Mount with Tilt



- Designed for extra large flat screens up to 65" (165cm) / 70kg (154lbs)
- Fits screens with mounting patterns up to **H**: 755mm (29.7") x **V**: 410mm (16.1") including screens using VESA® fixings up to 600 x 400mm
- Adjustable ceiling drop: 658mm (25.9") - 958mm (37.7") (from ceiling to centre of interface)
- Easy adjustment of tilt +20°



Registered Design Number: 4003130, 4003650

BT8447

NEW

Extra-Large

Flat Screen Ceiling Mount with Adjustable Drop and Tilt



- Flat screen ceiling mount designed for screens up to 65" (165cm) / 35kg (77lbs)
- Fits screens with mounting patterns up to **H**: 825mm (32.5") x **V**: 500mm (15.7") including screens using VESA® fixings up to 800 x 500mm
- Adjustable Drop: 668mm (26.3") - 943mm (37.1")
- Features +/- 15° Tilt
- Unique 'Torsion-Tilt' mechanism*
- Security locking screw, Allen key and locking bars provided
- Integrated cable management
- Simple 'hook-on' installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



BT5890-010

Short Drop



Projector Ceiling Mount

- Projector ceiling mount designed for projectors up to 10kg (22lbs)
- Integrated cable management
- Keyhole hook-on feature for easy installation
- +/- 15° tilt adjustment, +/- 15° roll adjustment and 360° swivel
- Maximum distance between any 2 fixing points: 493mm
- Maximum fixing square: 300 x 300mm or 400 x 200mm
- Projector can be mounted directly to the carousel
- Suitable for projectors using M2.5, M3, M4, M5 and M6 fixings
- Ceiling drop: 190mm
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



BT5890-010

Ceiling drop: 190mm

BT5890

Long Drop



Projector Ceiling Mount

- Projector ceiling mount designed for projectors up to 10kg (22lbs)
- Integrated cable management
- Keyhole hook on feature for easy installation
- +/- 15° tilt adjustment, +/- 15° roll adjustment and 360° swivel
- Maximum distance between any 2 fixing points: 493mm
- Maximum fixing square: 300 x 300mm or 400 x 200mm
- Projector can be mounted directly to the carousel
- BT5890-150 includes additional holes along pole to allow pole to be cut to desired length
- Suitable for projectors using M2.5, M3, M4, M5 and M6 fixings
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included

Available in 2 lengths

BT5890-100

Ceiling drop: 1000mm

BT5890-150

Ceiling drop: 1645mm



BT881

Short Drop

Projector Ceiling Mount



- Designed for projectors up to 10kg (22lbs)
- Mounts projector only 115mm (4.5") from ceiling or 280mm (11") with supplied extension rod
- Features +/-90° tilt adjustment, +/-90° roll adjustment and 360° swivel
- Maximum distance between any two fixing points on projector: 340mm (13.5")



BT899

Heavy Duty

Projector Ceiling Mount with Micro-Adjustment



- Designed for projectors up to 25kg (55lbs)
- Compatible with the B-Tech System 2" Professional Range and NPT pipe systems (see page 43 for more info)
- Features +/-13° tilt, +/-6° roll and 360° swivel
- Maximum distance between any two fixing points: 370mm (14.6")



Registered Design Number: 001713306-0004

BT899-XL

Extra Large Projector Ceiling Mount with Micro-Adjustment

- Maximum distance between any two fixing points: 493mm (19.4")
- Compatible with System 2 (see page 43 for more info)

BT882

NOW IN WHITE

Medium Adjustable Drop

Projector Ceiling Mount with Adjustable Drop



- Designed for projectors up to 10kg (22lbs)
- Features +/-90° tilt, +/-90° roll and 360° swivel
- Suitable for angled / cathedral ceilings
- Maximum distance between any two fixing points on projector: 340mm (13.5")
- Hand lever for easy adjustment of ceiling drop:
Min: 580mm (22.8")
Max: 830mm (32.7")



Registered Design Number: 3016251

BT883

NOW IN WHITE

Long Adjustable Drop

Projector Ceiling Mount with Adjustable Drop



- Designed for projectors up to 10kg (22lbs)
- Features +/-90° tilt, +/-90° roll and 360° swivel
- Suitable for angled / cathedral ceilings
- Maximum distance between any two fixing points on projector: 340mm (13.5")
- Hand lever for easy adjustment of ceiling drop:
Min: 830mm (32.6")
Max: 1330mm (52.3")



Registered Design Number: 3016251

BT884

Short Throw

Short Throw Projector Wall Mount with Adjustable Arm

Available in 2 lengths



- Designed for Short Throw Projectors up to 10kg (22lbs)
- Features +/-20° tilt and +/-20° roll
- Telescopic design for correct projector positioning
- Cable management included
- Coverplate included for smart installation
- Maximum distance between any two fixing points: 300mm (11.8")

BT884-M

- Telescopic arm mounts projector 400mm (15.7") - 575mm (22.6") from wall

BT884-L

- Telescopic arm mounts projector 880mm (34.6") - 1510mm (59.4") from wall



Premium Desk Mounts

Fixed



BT7371

- Designed for screens up to 24" (61cm) / 9kg (20lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included

Single Arm



BT7372

- Designed for screens up to 24" (61cm) / 9kg (20lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 285mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included

Double Arm



BT7373

- Designed for screens up to 24" (61cm) / 9kg (20lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 457mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included

Twin Screen



BT7374

- Designed for 2 screens up to 24" (61cm) / 9kg (20lbs) per screen
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 457mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included



Full Motion Desk Mounts

Single Arm



BT7382

- Designed for screens up to 24" (61cm) / 9kg (20lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 390mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included

Double Arm



BT7383

- Designed for screens up to 24" (61cm) / 9kg (20lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 560mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included

Twin Screen



BT7384

- Designed for 2 screens up to 24" (61cm) / 9kg (20lbs) per screen
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 560mm
- Easy tilt adjustment +/- 40°
- Desk clamp and grommet fixings included



Accessories

Accessory Shelf



BT6045

- Designed for use with B-Tech Full Motion Desk Mount Range
- Creates an ergonomic workstation for a laptop computer or telephone up to 9kg (20lbs)
- Fits to mounts with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Platform dimensions: 250mm (9.8") x 250mm (9.8")



* Example installation shows BT6045 mounted to BT7382 desk mount (available separately)

Wall Mounting Adaptor



BT7399

- Designed to attach any B-Tech Premium or Full Motion desk mount to the wall
- Retains all movement functionality of the attached desk mount
- Features built in 'level bubble'

* Mount sold separately



Laptop Trolley



BT892

Mobile AV Trolley Designed for Laptop Computers, PCs and Projectors

- Gas sprung cylinder for easy height adjustment for standing or seated computer use: Min: 700mm (27.6") - Max: 955mm (37.6")
- Features retractable mouse platform and cup holder
- Stylish 5mm tempered safety glass platform and shelf
- Top platform suitable for AV equipment up to 15kg (33lbs)
- Lower shelf suitable for AV equipment up to 10kg (22lbs)
- Durable base with 3 locking wheels
- Quick and easy assembly



Top Platform Lower Shelf

Desk / Ceiling Mounts



NEW BT7553

Single

NEW BT7554

Back-to-Back

- Designed for screens using VESA® mounting patterns 75 x 75 or 100 x 100mm up to 23kg (51lbs) per screen
- Easy tilt adjustment +/- 10°
- 360° swivel
- 360° screen rotation
- Integrated cable management
- Can be mounted to the ceiling, floor or desktop



Per Screen

Available in five lengths:

BT7553-025 / BT7554-025: 25cm Pole
 BT7553-050 / BT7554-050: 50cm Pole
 BT7553-100 / BT7554-100: 1m Pole
 BT7553-150 / BT7554-150: 1.5m Pole
 BT7553-200 / BT7554-200: 2m Pole

SYSTEM 2™



Aviva Stadium, Dublin



Heathrow Airport (T3), London



Tourist Office, Manchester



The All England Lawn Tennis Club, Wimbledon

The Professional's Choice for
Audio Video Mounts and Supports

POLE MOUNTING RANGE

B - T E C H A U D I O V I D E O M O U N T S



B-Tech's **System 2™** series is a component based system for professional installations. For greater flexibility and convenience, components are supplied individually. Ceiling / wall brackets, extension poles, accessory collars and AV mounts are ordered separately, depending on the requirements of the installation.

The **System 2™** range works on a modular principle with 50mm (2") diameter poles that can easily be cut to length and joined. Poles may be attached to the wall or ceiling and can hold all manner of AV devices with the use of accessory collars and mounts from B-Tech.

Mounts for joists, purlins, i-beams and both internal and external pole joiners make the **System 2™** range a truly versatile and flexible modular mounting system. This range is compatible with existing installations and may also be used in conjunction with truss systems, scaffolding poles, NPT pipes or other poles from 48mm to 51mm (2") in diameter.

Accessory brackets and collars also allow other AV equipment such as speakers, DVD players or laptop computers to be mounted onto the installation. The full range has been designed to include coverplates that hide the mounting fixings. This combined with the 'taper trim' that cleanly blends the mounts to the pole, results in a very aesthetically pleasing and highly adaptable mounting range to suit any installation requirement.

SYSTEM 2™ MOUNTING CHART

SYSTEM 2™

Ceiling Pole Mounts

BT7851 BT7822 BT7821 BT7804

Specialist Pole Mounts

BT7803 BT7012 BT7017 BT7825

BT7014

Large Flat Screen Mounts

BT8009 (Use with BT8026 or BT8027 for back-to-back screen mounting) BT8026 BT8027

Flat Screen Interfaces

BT7507 BT8500

Swivel Kit

BT7852

Poles

Pole End Finishing Ring


BT7055

Accessory Collars

BT7052 BT7051 BT7841

Small / Medium Flat Screen Mounts

BT7510 BT7521 BT7518 BT7511 BT7522 BT7524



For More Information Visit www.btechavmounts.com



BT7850

50mm Diameter Poles



50mm Diameter Poles

- Available in black, silver or chrome
**Please note 3m model is not available in silver*
- Can be cut to length if required
- Poles are internally unobstructed to allow cables to pass through easily
- Features safety bolt holes at top and bottom for secure installation
- Poles can be linked together using BT7823 or BT7824 Joiners
- Includes BT7057 pole ring

Lengths Available:

BT7850-025 - (0.25m), BT7850-050 - (0.5m), BT7850-100 - (1m), BT7850-150 - (1.5m), BT7850-200 - (2m), *BT7850-300 - (3m)



BT7821

Tilt

Ceiling/Wall Mount with Tilt for ø50mm Poles



- Cover plate included for smart installation
- Supplied with safety bolt for a secure install
- 70° Tilt of pole for angled ceilings
- +90° Tilt of pole (fixed) when wall mounted
- Ceiling plate diameter: 240mm (9.4")
- Ceiling drop: 83mm (3.3")
- Pole sold separately



BT7822

Fixed

Ceiling Mount for ø50mm Poles



- Small ceiling plate with attractive finish
- Cable management
- Cover plate included for smart installation
- Supplied with safety bolt for a secure install
- Ceiling plate diameter: 150mm (5.9")
- Ceiling drop: 120mm (4.7")
- Pole sold separately



BT7804

Tilt Heavy Duty

Heavy Duty Ceiling Mount with Tilt for ø50mm Poles



- Cover plate included for smart installation
- Heavy duty 5mm thick steel construction
- Cable management
- Supplied with safety bolt for a secure install
- +/-40° Tilt of pole for angled ceilings
- Ceiling plate diameter: 300mm (11.8")
- Ceiling drop: 183mm (7.2")
- Pole sold separately



BT7851

Adjustable Drop

Telescopic Ceiling Mount For ø50mm Poles



- Small ceiling plate with attractive finish
- Cable management
- Cover plate included for smart installation
- Ceiling plate diameter: 150mm (5.9")
- Ceiling drop: 600mm - 1000mm (39.4") in 25mm (1") increments
- Longer drop available using BT7823 Pole Joiner and any BT7850-Pole



Registered Design Number: 403650

BT7803

Wall Arm with Swivel

Wall Arm for ø50mm Poles



- Single arm for 180° swivel
- Cover plate included for smart installation
- Supplied with safety bolt for secure installation
- Arm length: 535mm (21.1")
- Pole sold separately



BT7012
Purlin Mount


Purlin Mount for ø50mm Poles

- Adjustable purlin mount for use with 50mm poles
- Cable management
- Supplied with safety bolt for secure installation
- Locking bolt included to securely set the pole vertical at any angle up to 45°
- Fits "Cee" and "Zee" section purlin with a minimum height of 95mm (3.7")
- Can also be mounted to beams and girders
- Pole sold separately


BT7017
I-Beam (Girder) Mount


I-Beam Girder Mount for ø50mm Poles

- Adjustable I-Beam (girder) mount for use with 50mm poles
- Cable management
- Supplied with safety bolt for secure installation
- Locking bolt included to securely set the pole vertical at any angle up to 36°
- Fits I-Beams and thick steel from 80mm (3.1") - 250mm (9.8") in width
- Pole sold separately


BT7014
Joist Mount


BT7014

BT7850

Joist Mount for ø50mm Poles

- Designed to be mounted to the side / underside of a beam / joist
- Supplied with safety bolt for secure installation
- Can be bolted through a joist using supplied back plates
- Screws / bolts not included
- Pole sold separately


BT7825
Truss Clamp


Truss Mount for ø50mm Poles

- Adjustable adaptor for attaching 50mm poles to truss systems, scaffolding and other horizontal poles
- Cable management
- Supplied with safety bolt for secure installation
- Fits truss size from 42mm (1.7") - 50mm (2")
- Zinc plated clamp
- Pole sold separately


BT7823
BT7824
Pole Joiners

Internal Pole Joiner

- Joins 2 x 50mm poles together
- Still allows cables to pass through cables
- Hidden from view once installed
- Pole sold separately



External Pole Joiner

- Joins 2 x 50mm poles together
- Still allows cables to pass through poles
- Allows cable access mid-pole
- Pole sold separately


BT7852
Swivel Adaptor


Swivel Adaptor for ø50mm Poles

- Allows a screen or AV equipment mounted at the bottom of a pole to be swivelled 360°
- Pole sold separately


BT7055
Pole Finishing Ring


Ceiling Finishing Ring for ø50mm Poles

- Escutcheon ring designed to improve the look of a ceiling mounted pole
- Ideal for use with suspended ceilings
- Pole sold separately


BT7056
Floor Fixing Kit


Floor Fixing Kit for 50mm Poles

- Allows poles to be fixed to the floor to prevent lateral movement in a floor to ceiling installation
- Suitable for most floor types including concrete and wooden floors
- Chrome cover for a smart installation



BT7052

Collar



50mm Accessory Collar

- Accessory collar for use with 50mm poles
- Choice of 3 colours: Black, Silver or Chrome cover plate



Registered Design Number: 4003652

BT7051

Heavy Duty Collar



50mm Heavy Duty Accessory Collar

- Heavy duty accessory collar for use with 50mm poles
- Double attachment
- Choice of 3 colours: Black, Silver or Chrome cover plate



Registered Design Number: 4010370

BT7841

NEW

2-Piece Collar



50mm Accessory Collar

- Accessory collar for use with 50mm poles
- Can be retro fitted to existing installations
- Split design allows collar to clamp tightly to poles without marking them
- Includes safety grub screws for use with existing holes in the pole



BT7850-CAP

End Cap



End Cap for ø50mm Poles

- Designed to fit any 50mm pole



BT7057

End Ring



End Ring for ø50mm Poles

- Creates a neat appearance at either end of any B-Tech 50mm pole
- Protects cables against the rough edge of hand sawn poles




BT7025

Horizontal Collar Adaptor

Collar Adaptor for Horizontal Poles

- Allows poles to be mounted horizontally across fixed vertical poles
- *Collars available separately



Visit www.btechavmounts.com/BT7025 for more configurations

BT7862

Twin Pole Adaptor

Accessory Adaptor for Twin Pole Floor Stands



- Designed to mount AV accessories such as shelves centrally between 2 poles
- Ideal for use with B-Tech trolleys
- Max load 40kg
- Compatible with single and double attachment collars (sold separately)
- Compatible with ø50mm and ø60mm collars



*Poles and collars sold separately

BT7863

VC Shelf

VC Camera Shelf


- Designed to mount video conferencing cameras to poles
- Fits most VC cameras with 1/4 inch thread
- Features 100x100mm fixing points
- Ideal for Radvision® XT5000 Codec
- Max load 4kg



BT7864

Twin Pole VC Shelf

VC Camera Shelf for Twin Pole Floor Stands



- Designed to mount a video conferencing camera centrally between 2 poles
- Ideal for use with B-Tech trolleys
- Max load 4kg
- Compatible with single and double attachment collars (sold separately)
- Compatible with ø50mm and ø60mm collars



*Poles and collars sold separately

BT7865

Computer Peripheral Shelf

Keyboard and Mouse Shelf for Pole Mounting



- Designed to mount a keyboard and mouse to a pole
- Fixed tilt angle of 10°
- Max keyboard size: **W:** 465mm x **D:** 175mm
- Usable space for mouse: 230 x 255mm
- Compatible with single collars (sold separately)



*pole sold separately

BT899

Heavy Duty Projector Mount

Pole Mounted with Micro-Adjustment



- Designed for projectors up to 25kg (55lbs)
- Compatible with the B-Tech System 2" Professional Range and NPT pipe systems
- Features +/-13° tilt, +/-6° roll and 360° swivel
- Maximum distance between any two fixing points: 370mm (14.6")
- Pole sold separately



Registered Design Number: 001713306-0004

BT899-XL

Extra-Large Projector Mount

Extra Large Pole Mounted Projector Ceiling Mount with Micro Adjustment



- Same as BT899 but features increased maximum fixing dimensions
- Maximum distance between any two fixing points: 493mm (19.4")
- Pole sold separately



Registered Design Number: 001713306-0004

BT7819-888

Pole Mounted

Universal Projector Mount



- Universal mount to fit LCD / DLP projectors
- Unique carousel mount for simple installation with all mounting hardware included
- Maximum distance between any 2 fixing points: 340mm (13.4")
- Distance from top of collar to projector: 195mm (7.6")
- Maximum tilt and swivel at ball joint bracket: 37° in any direction



BT6010

Security Camera Mount

Security Dome Camera Mount



- Designed for use with CCTV cameras
- Distance between any 2 fixing points on CCTV camera:
 - Min:** 63.5mm (2.4")
 - Max:** 103.5mm (4.1") including VESA® 75 x 75mm
- Unique carousel mount for simple installation with all mounting hardware included
- Maximum weight 25kg (55lbs)
- Available in Zinc finish



BT7860

Apple TV® Mount

Apple TV® Mount



- Designed to mount an Apple TV player to your wall or to a pole
- Features +/-90° tilt and 75° swivel
- Open design for greater airflow to keep the device cool
- Features security locking bar and screws to help prevent unauthorised removal of the device
- Compatible with single collars (sold separately)



*TM and ©2013 Apple Inc. All rights reserved.

BT7867

Digital Signage Cradle

Digital Signage Box Cradle




- Cradle designed to mount a digital signage player to a BT7522, BT8431 and BT8432
- Max load 1kg
- Open design for greater airflow to keep the player cool
- Security screws help prevent unauthorised removal of the player
- Made to order based on the dimensions of your device, please ask for details



BT8026

Fixed Screen Mount

Large Flat Screen 50mm Pole Mount



- 2, 2-Piece split collars included
- Mounts screen in landscape or portrait style
- Security Allen key and screws provided
- Supplied with safety bolt for secure installation
- Simple 'hook-on' installation with all mounting hardware included
- Use with BT8009 for back-to-back screen installations
- Can be used with both vertical and horizontal poles
- *Ceiling mounts, pole and flat screen interface sold separately*
- *Must be used with flat screen interface kit (BT7507 / BT8500)*



BT7507

VESA® Screen

VESA® Interface Kit



- Suitable for screens up to 70kg (154lbs)
- Fits 75 x 75, 100 x 100, 200 x 100 and 200 x 200mm VESA® mounting patterns
- Suitable for screens using M4, M5, M6 and M8 fixings
- Can be fitted to mount in either landscape or portrait style
- *Must be used with a professional screen mounting solution (BT8009 / BT8026 / BT8027)*



BT8027

Tilt Screen Mount

Large Flat Screen 50mm Pole Mount with Tilt




- 2, 2-Piece split collars included
- Tilts up to +20° with fixed positions of 0°, 15° and 20°
- 2 Heavy duty collars included with covers
- Mounts screen in landscape or portrait style
- Supplied with safety bolt for secure installation
- Use with BT8009 for back-to-back screen installations (only one screen will tilt)
- Can be used with both vertical and horizontal poles
- *Ceiling mounts, pole and flat screen interface sold separately*
- *Must be used with flat screen interface kit (BT7507 / BT8500)*



BT8500

Large

Universal Interface Kit




- Suitable for screens up to 70kg (154lbs)
- Maximum distance between fixings:
H: 755mm (29.7") x **V:** 410mm (16.1")
- Fits all VESA® fixings up to 600 x 400mm
- Can be fitted to mount in either landscape or portrait style
- *Must use with a professional screen mounting solution (BT8009 / BT8026 / BT8027 / BT4002)*



BT8009

Low Profile

Flat Screen Mounting Plate



- Suitable for concrete / brick or stud walls up to 12" (30cm)
- Mounts screen only 22mm from wall when a BT7507 interface kit is used and 41mm (1.6") when a BT8500 / BT8501 is used
- Compatible with BT8026, BT8027 for back-to-back screen mounting
- Fixes to non B-Tech trolley / floor stands (with pole centres 62.5mm (2.5") - 157.5mm (6.2") or 204mm (8") - 299mm (11.8") using accessory collars)
- Fits industry standard 150 x 150mm (5.9 x 5.9") fixing points
- *Collars not included*
- *Must be used with flat screen interface kit (BT7507 / BT8500 / BT8501)*



BT7861

Adaptor Plate

Adaptor Plate for 150 x 150mm fixings



- Designed to attach BT7532 (see page 6) to 150 x 150mm interfaces
- Max load 40kg
- Compatible with ø50mm and ø60mm collars (available separately)



BT7551

Flat Screen Mount - Single



Single Flat Screen Mount for 50mm Poles

- Suitable for screens using VESA® fixings 75 x 75mm and 100 x 100mm
- Maximum load: 23kg (51lbs)
- +/- 10° tilt adjustment and 360° swivel
- 360° screen rotation
- Integrated cable management
- Keyhole mounting for easy 'hook-on' installation
- Can be mounted to the ceiling, floor or desktop

BT7553

Available as complete ceiling or desk mount packages - page 34, 41



BT7552

Flat Screen Mount - Double



Back-to-Back Flat Screen Mount for 50mm Poles

- Suitable for screens using VESA® fixings 75 x 75mm and 100 x 100mm
- Maximum load: 23kg (51lbs) per screen
- +/- 10° tilt adjustment and 360° swivel
- 360° screen rotation
- Integrated cable management
- Keyhole mounting for easy 'hook-on' installation
- Can be mounted to the ceiling, floor or desktop
- Screens can be mounted offset from each other or in-line with each other using the optional adaptor arms

BT7553

Available as complete ceiling or desk mount packages - page 35, 41



Per Screen

Flat Screen Wall Mounts Ideal For Medical Applications

BT7592

Articulating Wall Arm

BT7593








Full Motion Articulating Wall Arm Medical Mount

- Designed for flat screens up to 23" (58cm)
- **BT7592 is suitable for screens weighing 3 to 5kg (6.6-11lbs)**
- **BT7593 is suitable for screens weighing 5 to 8kg (11-17.6lbs)**
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Allows 360° rotation of screen in any direction to display screen in landscape or portrait style
- Tilts +/- 100°
- Mounts screen up to 1650mm (65") from wall
- Supplied with optional handle for easy screen positioning



BT7592 BT7593

4 simple steps to order Flat Screen Floor Stands tailored to your needs

Step 1	Choose your Floor Base...	Step 2	add Poles...
SMALL	BT4000 Small Floor Base  32" / 81cm 15kg	<ul style="list-style-type: none"> Designed for flat screens up to 32" (81cm) / 15kg (33lbs) Features grab handle Can be used free standing or bolted to the floor Screen size and weight may be increased if floor base is bolted to the floor Base Dimensions: 575mm x 395mm 	1 ø60mm Pole Required BT4005 - 0.5m ✓ BT4011 - 1.1m ✓ BT4015 - 1.5m ⚠ BT4020 - 2m ⚠
	BT4001 Medium Floor Base  42" / 107cm 24kg	<ul style="list-style-type: none"> Designed for flat screens up to 42" (107cm) / 24kg (53lbs) Features grab handles Can be used free standing or bolted to the floor Screen size and weight may be increased if floor base is bolted to the floor Base Dimensions: 725mm x 495mm 	1 ø60mm Pole Required BT4005 - 0.5m ✓ BT4011 - 1.1m ✓ BT4015 - 1.5m ✓ BT4020 - 2m ⚠
LARGE	BT4002 Large Floor Base  65" / 165cm 70kg	<ul style="list-style-type: none"> Designed for flat screens up to 65" (165cm) / 70kg (154lbs) Can be used free standing or bolted to the floor Features grab handles Base dimensions: 890mm x 610mm 	2 ø60mm Poles Required BT4005 - 0.5m ✓ BT4011 - 1.1m ✓ BT4015 - 1.5m ✓ BT4020 - 2m ✓
	BT4003 Large Floor / Trolley Base  65" / 165cm 70kg	<ul style="list-style-type: none"> Designed for flat screens up to 65" (165cm) / 70kg (154lbs) Screw in castors available separately (BTW100 sold individually or as a pack of 4 - BTW100-4) Can be used with one or two poles depending on application Base dimensions: 1130mm x 774mm 	1 or 2 ø60mm Poles Required BT4005 - 0.5m ✓ BT4011 - 1.1m ✓ BT4015 - 1.5m ✓
LARGE	BT4102 Large Back-to-Back Base  65" / 165cm 70kg	<ul style="list-style-type: none"> Designed for flat screens up to 65" (165cm) / 70kg (154lbs) Suitable for use with multiple large flat screens Supplied with optional rubber feet for use when free standing Base dimensions: 890mm x 850mm 	2 ø60mm Poles Required BT4005 - 0.5m ✓ BT4011 - 1.1m ✓ BT4015 - 1.5m ✓ BT4020 - 2m ✓

This chart shows parts for typical screen mounting application and is not an exhaustive list of mounting options.

Pole Suitability Key >



SAFE FOR FREE STANDING



MUST BE BOLTED TO THE FLOOR

Step 3

then add Collars...

Step 4

now the Screen Mount...

Complete Floor Stand Example

**BT7260 or BT4041
ø60mm Collar(s) Required**



(1 or 2 required depending which mount is selected in step 4)

Flat Screen Mounts

**BT7510, BT7511, BT7521,
BT7522, BT7523 or BT7505**
(1x BT7260 or 1x BT4041 Collar required)
**BT7514 (Short Arm),
BT7518 or BT7532**
(2x BT7260 or 2x BT4041 Collar required)



SMALL

**BT7260 or BT4041
ø60mm Collar(s) Required**



(1 or 2 required depending which mount is selected in step 4)

Flat Screen Mounts

**BT7510, BT7511, BT7521,
BT7522, BT7523 or BT7505**
(1x BT7260 or 1x BT4041 Collar required)
**BT7514 (Short Arm),
BT7518 or BT7532**
(2x BT7260 or 2x BT4041 Collar required)



MEDIUM

**4x BT4041 ø60mm
Collars Required**



2x BT7060 ø60mm Collars Required



Flat Screen Interface Kits
BT8009 plus BT7507 or BT8500

Flat Screen Interface Kits
BT8009 plus BT8432-PRO



LARGE

**2x BT4041 ø60mm Collars (when 1 pole used) or
4x BT4041 ø60mm Collars (when 2 poles used)**



**2x BT4041 ø60mm Collars (when 1 pole used) or
2x BT7060 ø60mm Collars (when 2 poles used)**



Flat Screen Interface Kits
BT8009 plus BT7507 or BT8500

Flat Screen Interface Kits
BT8431-PRO or BT8432-PRO



LARGE

**4x BT4041 ø60mm Collars
(for Single or Back-to-Back mounting)**



**2x BT7060 ø60mm Collars
(for Single or Back-to-Back mounting)**



Flat Screen Interface Kits
1x or 2x BT8009 plus BT7507 or BT8500
(for Single or Back-to-Back mounting)

Flat Screen Interface Kits
1x or 2x BT8431-PRO or BT8432-PRO
(for Single or Back-to-Back mounting)



LARGE




B-Tech offer an extensive range of products available off-the-shelf. However, if you can't find what you are looking for please contact our sales team to discuss your requirements. If we don't have an off-the-shelf solution which meets your needs, our team of engineers combined with excellent manufacturing facilities enables us to provide bespoke mounting solutions for virtually any application.

This service enables you to specify a custom requirement that isn't catered for by our standard or component ranges. Our highly skilled team of engineers in the UK will design and manufacture a bespoke solution to meet your exact requirements. Working with some of the latest design software and manufacturing technologies allows us to develop and manufacture short run lines and bespoke products in a timely fashion.

If you have a requirement for a product which is not featured in the B-Tech range, please contact us to discuss your requirement.

BESPOKE MOUNTING SOLUTION EXAMPLES



BESPOKE SOLUTIONS

GLOBAL MANUFACTURING NETWORK



A key advantage when using B-Tech Audio Video Mounts for bespoke manufacturing projects are the options provided by B-Tech's established global manufacturing network. Urgent and short run projects can be manufactured in the UK at highly competitive rates. Off-shore manufacturing enables B-Tech to offer even better pricing and our service will still include delivery from our UK warehouse as normal if so desired. FOB sourcing of both standard and bespoke products is also available on request.

The bespoke service process

1. Design

Contact us with details of the project. One of B-Tech's technical team will then contact you to discuss your requirements further, and develop a brief.

A dedicated B-Tech engineer will be appointed to develop your concept, and drawings will be sent to you for approval. When the solution design has been agreed, an estimated cost and delivery schedule will be supplied.

B-Tech aim to complete the initial design process within 7 days, depending on the complexity of the requirement.

2. Development (Project Dependant)

Once the design has been approved in writing, a prototype can be manufactured (if required). This working prototype will be sent to you for testing. Any amendments can be made based on your feedback and production drawings finalised.

3. Production and Delivery

A final quotation is submitted and delivery information provided. Once agreed, production will begin, with all stages of manufacturing overseen by your dedicated engineer.

Your product is then packaged to your specification and shipped to your preferred location. Production and delivery times can vary; we will keep you updated at all stages of the process.

Initial consultation and product development is free of charge, with no obligation to purchase*.

** Please ask for details.*



VENTRY RETAIL RANGE



New and improved Ventry range retail boxes are now available in Spanish in addition to the standard English boxes

Ventry Features

Ventry
range



The BTV500, BTV510, BTV520, BTV501, BTV511 and BTV521 all include a locking bar which prevents unauthorised screen removal



Built in Spirit Level for easy levelling when mounting on the BTV112, BTV113, BTV114, BTV502, BTV503, BTV504 and BTV514



VESA® Fixing Compatible



Integrated cable management for a tidy installation on the BTV112, BTV113, BTV114, BTV502, BTV503, BTV504 and BTV514



Easy Installation

BTV110

Fixed - Small



Ultra-Slim Flat Screen Wall Mount

- Designed for small flat screens up to 23" (58cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Low profile design mounts screen only 15mm (0.6") from wall



Registered Design Number: 566831-0001

BTV113

Single Arm - Small

Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for small flat screens up to 23" (58cm) / 15kg (33lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: **Min:** 105mm (4.1") **Max:** 240mm (9.4")
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)



Registered Design Number: 001334981-0002

BTV111

Tilt - Small



Flat Screen Wall Mount with Tilt

- Designed for small flat screens up to 23" (58cm) / 20kg (44lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment +15° / -5°



Registered Design Number: 001713280-0057

BTV114

Double Arm - Small

Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for small flat screens up to 23" (58cm) / 15kg (33lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: **Min:** 105mm (4.1") **Max:** 385mm (15.2")
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)



Registered Design Number: 001334981-0006

BTV112

Tilt and Swivel - Small



Flat Screen Wall Mount with Tilt and Swivel

- Designed for small flat screens up to 23" (58cm) / 15kg (33lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: 105mm (4.1")
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)



Registered Design Number: 001334981-0001

BTV500

Fixed - Medium

Universal Flat Screen Wall Mount



- Designed for medium flat screens up to 42" (107cm) / 40kg (88lbs)
- Fits screens with mounting patterns up to: **H:** 225mm (8.6") x **V:** 200mm (7.9") including screens using VESA® fixings up to 200 x 200mm
- Low profile design mounts screen only 20mm (0.8") from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0020

BTV503

Single Arm - Medium

Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 to 200 x 200mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: **Min:** 105mm (4.1") **Max:** 240mm (9.4")
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)



Registered Design Number: 001334981-0005

BTV501

Tilt - Medium

Universal Flat Screen Wall Mount with Tilt



- Designed for medium flat screens up to 42" (107cm) / 40kg (88lbs)
- Fits screens with mounting patterns up to: **H:** 225mm (8.6") x **V:** 200mm (7.9") including screens using VESA® fixings up to 200 x 200mm
- 5 fixed tilt positions up to +15°
- Mounts screen only 44mm (1.7") from wall
- Security locking bar to prevent authorised screen removal



Registered Design Number: 001713280-0022

BTV504

Double Arm - Medium

Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 to 200 x 200mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: **Min:** 105mm (4.1") **Max:** 385mm (15.2")
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)



Registered Design Number: 001334981-0006

BTV502

Tilt and Swivel - Medium

Flat Screen Wall Mount with Tilt and Swivel



- Designed for medium flat screens up to 42" (107cm) / 25kg (55lbs)
- Fits screens with VESA® mounting patterns: 75 x 75 to 200 x 200mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: 105mm (4.1")
- Integrated Spirit Level and cable management
- Interface can be secured in place with a padlock (not supplied)



Registered Design Number: 001334981-0004

BTV510

Fixed - Large

Universal Flat Screen Wall Mount



- Designed for large flat screens up to 55" (140cm) / 50kg (110lbs)
- Fits screens with mounting patterns up to: **H:** 425mm (16.7") x **V:** 400mm (15.7") including screens using VESA® fixings up to 400 x 400mm
- Low profile design mounts screen only 20mm (0.8") from wall
- Security locking bar to prevent unauthorised screen removal




Registered Design Number: 001713280-0021

BTV520

Fixed - X-Large

Universal Flat Screen Wall Mount



- Designed for extra large flat screens up to 65" (165cm) / 70kg (154lbs)
- Fits screens with mounting patterns up to: **H:** 825mm (32.5") x **V:** 500mm (19.7") including screens using VESA® fixings up to 800 x 500mm
- Low profile design mounts screen only 20mm (0.8") from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0011

BTV511

Tilt - Large

Universal Flat Screen Wall Mount with Tilt



- Designed for large flat screens up to 55" (140cm) / 50kg (110lbs)
- Fits screens with mounting patterns up to: **H:** 430mm (16.9") x **V:** 400mm (15.7") including screens using VESA® fixings up to 400 x 400mm
- 5 fixed tilt positions up to +15°
- Mounts screen only 44mm (1.7") from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0023

BTV521

Tilt - X-Large

Universal Flat Screen Wall Mount with Tilt



- Designed for extra large flat screens up to 65" (165cm) / 70kg (154lbs)
- Fits screens with mounting patterns up to: **H:** 825mm (32.5") x **V:** 500mm (19.7") including screens using VESA® fixings up to 800 x 500mm
- 5 fixed tilt positions up to +15°
- Mounts screen only 44mm (1.7") from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0024

BTV514

Double Arm - Large

Ultra-Slim Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for large flat screens up to 55" (140cm) / 25kg (55lbs)
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Features +/-10° tilt and 180° swivel
- Distance from wall: **Min:** 35mm (1.4") **Max:** 535mm (21.1")
- Integrated Spirit Level and cable management



Registered Design Number: 001334981-0007

BTF101

600mm wide



3 Shelf Tempered Black Glass AV Stand

- Designed for flat screen TVs
- Ideal for screens up to 28" (71cm)
- Cable management included
- Glass thickness:
Top shelf: 6mm, lower shelves: 5mm
- Max weight:
Top shelf: 50kg (110lbs), lower shelves: 25kg (55lbs)
- Dimensions:
W: 600mm (23.6")
D: 400mm (15.7")
H: 508mm (20")
- Tempered glass shelves toughened to BS6206A standard

BTF102

800mm wide



3 Shelf Tempered Black Glass AV Stand

- Designed for flat screen TVs
- Ideal for screens up to 42" (107cm)
- Cable management included
- Glass thickness:
Top shelf: 6mm, lower shelves: 5mm
- Max weight:
Top shelf: 50kg (110lbs), lower shelves: 25kg (55lbs)
- Dimensions:
W: 800mm (31.5")
D: 400mm (15.7")
H: 508mm (20")
- Tempered glass shelves toughened to BS6206A standard

BTF103

1050mm wide



3 Shelf Tempered Black Glass AV Stand

- Designed for flat screen TVs
- Ideal for screens up to 60" (158cm)
- Cable management included
- Glass thickness:
Top shelf: 8mm, lower shelves: 5mm
- Max weight:
Top shelf: 50kg (110lbs), lower shelves: 25kg (55lbs)
- Dimensions:
W: 1050mm (41.3")
D: 400mm (15.7")
H: 508mm (20")
- Tempered glass shelves toughened to BS6206A standard

BTF104

1000mm wide



3 Shelf Oval Glass AV Stand


- Designed for flat screen TVs
- Ideal for screens up to 60" (158cm)
- Cable management included
- Glass thickness:
Top shelf: 8mm, lower shelves: 5mm
- Max weight:
Top shelf: 50kg (110lbs), lower shelves: 25kg (55lbs)
- Dimensions:
W: 1000mm (39.4")
D: 430mm (16.9")
H: 510mm (20")
- Tempered glass shelves toughened to BS6206A standard

BTF802

1100mm wide



Flat Screen TV Cabinet with Glass Top



- Designed for flat screen TVs up to 60kg (132lbs)
- Ideal for screens up to 50" (127cm)
- High gloss finish and tempered glass top
- Concealed castors and cable management
- Glass thickness:
Top: 5mm, Shelf: 6mm
- Dimensions:
W: 1100mm (43.3") **D:** 420mm (16.5") **H:** 530mm (20.8")
- Tempered glass shelves toughened to BS6206A standard

BTF803

1370mm wide



Flat Screen TV Cabinet with Glass Top



- Designed for flat screen TVs up to 70kg (154lbs)
- Ideal for screens up to 60" (153cm)
- High gloss finish and tempered glass top
- Concealed castors and cable management
- Glass thickness:
Top: 5mm, Shelves: 5mm
- Dimensions:
W: 1370mm (54") **D:** 420mm (16.5") **H:** 495mm (19.4")
- Tempered glass shelves toughened to BS6206A standard

BTF804

1130mm wide



Flat Screen TV Stand with Glass Top



- Designed for flat screen TVs up to 35kg (77lbs)
- Ideal for screens up to 46" (117cm)
- Premium gloss finish and tempered glass top
- Concealed castors and cable management
- Glass thickness:
Top: 5mm, Shelf: 6mm
- Dimensions:
W: 1130mm (44.4") **D:** 400mm (15.7") **H:** 485mm (19")
- Tempered glass shelves toughened to BS6206A standard

BTF805

1130mm wide



Flat Screen TV Cabinet with Glass Top and Pull Out Draw



- Designed for flat screen TVs up to 35kg (77lbs)
- Ideal for screens up to 46" (117cm)
- Premium gloss finish and tempered glass top
- Draw with silent closing mechanism
- Concealed castors and cable management
- Glass thickness:
Top: 5mm
- Dimensions:
W: 1130mm (44.4") **D:** 400mm (15.7") **H:** 485mm (19")
- Tempered glass shelves toughened to BS6206A standard

BTF800

Square Base



Flat Screen TV Stand with Square Base


- Designed for flat screens up to 60" (152cm) / 30kg (66lbs)
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Easy swivel adjustment 60°
- Stylish stainless steel pole finish
- Concealed castors and cable management
- Includes Accessory Shelf - Max weight: 10kg (22lbs)
- Glass shelf thickness: 6mm
- Dimensions: **W:** 500mm (19.7") **D:** 500mm (19.7")
H: 975mm (38.3") (to centre of mount)
- Tempered glass shelves toughened to BS6206A standard

Additional Accessory Shelves Available Separately See below

BT7167

AV Component Shelf

For Use with BTF800/801



- Designed to hold AV equipment such as DVD, Blu-ray® players and game consoles up to 10kg (22lbs)
- Glass Shelf thickness: 6mm
- Dimensions: **W:** 450mm (17.7") **D:** 365mm (14.3")
- Tempered glass toughened to BS6206A standard



BTF801

Round Base



Flat Screen TV Stand with Round Base


- Designed for flat screens up to 55" (140cm) / 30kg (66lbs)
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Easy swivel adjustment 60°
- Stylish stainless steel pole finish
- Concealed cable management
- Dimensions: **W:** 500mm (19.7") **D:** 500mm (19.7")
H: 975mm (38.3") (to centre of mount)
- Tempered glass toughened to BS6206A standard

Optional Accessory Shelf Available Separately See below

BT7167

AV Component Shelf

For Use with BTF800/801



- Designed to hold AV equipment such as DVD, Blu-ray® players and game consoles up to 10kg (22lbs)
- Glass Shelf thickness: 6mm
- Dimensions: **W:** 450mm (17.7") **D:** 365mm (14.3")
- Tempered glass toughened to BS6206A standard



BTF810

1 Metre TV Stand



1m TV Stand with 1 Shelf

- Designed for flat screens up to 60" (152cm) / 35kg (77lbs)
- Fits screens using VESA® and non-VESA® fixings up to 600 x 400mm
- High gloss and premium finish
- 360° revolving base
- Includes Accessory Shelf. Max weight: 10kg (22lbs)
- Glass shelf thickness: 8mm
- Concealed castors and cable management
- Dimensions:
W: 500mm (19.7") **D:** 500mm (19.7")
H: Min: 915mm (36") Max: 965mm (38") (to centre of mount)
- Tempered glass shelf toughened to BS6206A standard



BTF811

1.2 Metre TV Stand



1.2m TV Stand with 1 Shelf

- Designed for flat screens up to 46" (117cm) / 20kg (44lbs)
- Fits screens using VESA® and non-VESA® fixings up to 400 x 400mm
- High gloss and premium finish
- 360° revolving base
- Includes Accessory Shelf. Max weight: 10kg (22lbs)
- Glass Shelf thickness: 8mm
- Concealed castors and cable management
- Dimensions:
W: 500mm (19.7") **D:** 500mm (19.7")
H: Min: 1150mm (45.2") Max: 1300mm (51.2") (to centre of mount)
- Tempered glass shelf toughened to BS6206A standard



BT11

Stealth™

Home Cinema Speaker Floor Stands with Die-Cast Base

- Designed for home cinema speakers up to 5kg (11lbs)
- Heavy Duty die-cast base for greater stability, esoteric performance and to curb unwanted vibration
- Adjustable height: 685mm (27") - 1060mm (42")
- Suitable for speakers with single point, dual point or keyhole fixings
- Alternative mounting platform supplied for speakers without fixing holes
- Integrated cable management with speaker cable pull through wire
- Supplied in pairs



Registered Design Number: 3003354

Multiple fixing options



BT604

40cm Height

Atlas™ Loudspeaker Floor Stands

- Twin columned floor stands for loudspeakers up to 50kg (110lbs)
- 40cm (15.8") tall
- Sound isolating
- Fillable columns for superior dampening
- Solid construction using heavy gauge steel for enhanced stability
- Top and bottom isolation spikes provided
- Foam pads included as an alternative to isolating support spikes
- Suitable for all types of floors including wood and carpet with supplied protection discs
- Base dimensions: 240mm x 240mm (9.5" x 9.5")
- Top dimensions: 190mm x 190mm (7.5" x 7.5")
- Simple assembly and easy speaker mounting
- Supplied in pairs



BT114

Stealth Onyx™

Home Cinema Speaker Floor Stands with Stylish Glass Base

- Designed for home cinema speakers up to 2kg (4.4lbs)
- Contemporary speaker stands with tempered glass base
- Adjustable height: 685mm (27") - 1060mm (42")
- Includes adaptors for single point, dual point and keyhole fixings
- Alternative mounting platform supplied for speakers without fixing holes
- Integrated cable management with speaker cable pull through wire
- Supplied in pairs



Multiple fixing options



BT606

60cm Height

Atlas™ Loudspeaker Floor Stands

- Twin columned floor stands for loudspeakers up to 35kg (77lbs)
- 60cm (23.6") tall
- Sound isolating
- Fillable columns for superior dampening
- Solid construction using heavy gauge steel for enhanced stability
- Top and bottom isolation spikes provided
- Foam pads included as an alternative to isolating support spikes
- Suitable for all types of floors including wood and carpet with supplied protection discs
- Base dimensions: 240mm x 240mm (9.5" x 9.5")
- Top dimensions: 160mm x 160mm (6.3" x 6.3")
- Simple assembly and easy speaker mounting
- Supplied in pairs



BTV910

Ventry®

Home Cinema Speaker Floor Stands

- Designed for small home cinema / satellite speakers up to 2kg (4.4lbs)
- Adjustable height: 685mm (27") - 1060mm (41.7")
- Includes dual point adaptor and alternative mounting platform
- Features cable management for a clean and tidy appearance
- Supplied in pairs



Registered Design Number: 001713280-0020

BT608

80cm Height

Atlas™ Loudspeaker Floor Stands

- Twin columned floor stands for loudspeakers up to 15kg (33lbs)
- 80cm (31.5") tall
- Sound isolating
- Fillable columns for superior dampening
- Solid construction using heavy gauge steel for enhanced stability
- Top and bottom isolation spikes provided
- Foam pads included as an alternative to isolating support spikes
- Suitable for all types of floors including wood and carpet with supplied protection discs
- Base dimensions: 240mm x 240mm (9.5" x 9.5")
- Top dimensions: 125mm x 125mm (4.9" x 4.9")
- Simple assembly and easy speaker mounting
- Supplied in pairs



BT332

Home Cinema Speaker Wall Mount (Pair)



UK Registered Design No. 4010389, RCD 001302483-0006 / PATENTS: US - 7523906, EUROPEAN 1546599

Tilt and Swivel

- Designed for home cinema speakers up to 5kg (11lbs)
- Speakers adjustable; up / down / sideways
- Features +/-20° tilt adjustment and 180° swivel
- Includes adaptors for keyhole, single point and dual point fixings
- Supplied in pairs

BT77

Side Clamping Loudspeaker Wall Mount with Tilt and Swivel (Pair)



Ultragrip Pro™

- Designed for speakers up to 25kg (55lbs)
- Suitable for most speakers including curved front types
- Adjustable clamp size: 135mm (5.3") - 280mm (11")
- Features +/- 7° tilt and 360° swivel
- Supplied in pairs

BT34

Home Cinema Speaker Ceiling Mount



Tilt and Swivel

- Designed for home cinema speaker up to 5kg (11lbs)
- Features +/-90° tilt adjustment and 360° swivel
- Can be ceiling or wall mounted
- Includes adaptors for single point, dual point and keyhole fixings

BT1

Tilt and Swivel

Speaker Wall Mount with Tilt and Swivel (Pair)



- The original 'tilt and swivel' mount
- Designed for small to medium speakers weighing up to 10kg (22lbs)
- Features +/-18° tilt adjustment and 180° swivel
- Supplied in pairs

BT15

Adjustable Arms

Centre Speaker Wall Mount with Adjustable Arms



- Designed for speakers up to 15kg (33lbs)
- Ideal for centre channel speakers, DVD players and other AV equipment
- Easy adjustment of arm depth
- Adjustable arm dimensions: 180mm (7.1") - 290mm (11.4")
- Supplied in pairs (for use with one speaker)

BTV914

Soundbar Mount



Universal Soundbar Mount

- Ideal solution for mounting a soundbar speaker to your Flat Screen TV
- Mounts Soundbar above or below the screen
- Universal mount suitable for most soundbars and flat screens
- Use with or without a flat screen wall mount
- Ideal for corner installations with an articulated mount
- Low profile steel brackets
- Max weight of Soundbar: 10kg (22lbs)
- Easy installation - all mounting hardware included



BTV920

AV Component Shelf



AV Component Shelf

- Adjustable component shelf for all common AV equipment such as DVD and Blu-Ray® Players up to 10kg (22lbs)
- Arm Width Extension:
Min: 100mm (3.9")
Max: 560mm (22")
- Plastic padded arms
- Plastic covers to hide installation screws



BTV847

Blu-Ray / DVD Cleaner



Blu-Ray / DVD Laser Lens Cleaner

- Designed for use with Blu-Ray® / DVD players and games consoles such as PS4® / Xbox One®
- Three ultra-fine microfiber, optical grade brushes clean lens for improved picture and sound quality
- On-screen instructions and menu
- Includes 5.1 surround sound diagnostic and configuration test

BTV815 1.5m

BTV816 3m

BTV817 5m

HDMI® Cable

High Speed HDMI Cable with Ethernet



- High speed cable suitable for full 1080p HD designed for the latest generation of LED, LCD, Plasma and 3D screens
- 24k gold plated connectors
- Compliance resolution: 4096 x 2160p @ 24Hz
- Support for Audio Return Channel, Deep Colour and x.v. Colour
- Also available in bulk packs, please contact us for details



BTBIB641

Flat Screen Cleaner



Multi Purpose Screen Cleaning Kit

- Specifically designed for cleaning small screens such as, LCD, LED, TFT and iPad's™
- Anti-static cleaning gel - specifically formulated not to run down screen
- Replacement cloth included
- Includes wiper to enable a cleaner streak free finish than traditional cloth methods
- 30ml bottle

Free replacement cloth included

BTBIB639N

CD Lens Cleaner

10 Brush CD Premium Laser Lens Cleaner



- Cleans CD laser lens for improved sound quality
- Ten micro-fibre, optical grade brushes
- On-disc audio instructions and audio system diagnostic test program
- Also compatible with PS4*, Xbox One*, PCs and CD autochangers

BTBIB37N

DVD Lens Cleaner

10 Brush DVD Premium Laser Lens Cleaner



- Cleans DVD laser lens for improved picture and sound quality
- Ten micro-fibre, optical grade brushes
- On-screen instructions and menu
- 5.1 Surround sound test program
- Colour calibration program
- Also compatible with PS4*, Xbox One* and PCs

BTBIB47N

Blu-Ray® Lens Cleaner

Blu-ray® Premium Laser Lens Cleaner



- Blu-ray disc cleans Blu-ray laser lens for improved picture and sound quality
- Three ultra-fine micro-fibre, optical grade brushes
- On-screen instructions and menu
- 7.1 Surround sound test program
- Compatible with Blu-ray players, PS3*, BD and BD-R drives

BTBIB643

Flat Screen Cleaner CDU

Premium Flat Screen Cleaner Counter Display Unit (10pcs)



- Designed for cleaning flat screens
- Anti-static cleaning gel - specially formulated not to run down screen
- Includes high quality free non-scratch microfibre cloth for superior cleaning performance
- Doesn't damage screens like normal household cleaners

BTBIBVH1

Video Head Cleaner

Premium Video Head Cleaner



- Cleans video heads and complete travel path safely and effectively
- Removes and prevents snow and streaks in picture
- Prolongs life of equipment and cassettes
- Complete with ceaning fluid
- 20ml bottle

BTBIB100

Premium Record Cleaner

Groov-Kleen™ Carbon Fibre Brush with Velvet Insert



- Designed to improve the esoteric performance of your record collection
- Over one million fibres clean the vinyl grooves and eliminate static build up
- High quality velvet insert lifts off dust and dirt maximising effectiveness
- Protective metal case holds record cleaner when not in use

BTXLR39

HDMI Cable



Premium High Speed HDMI[®] Cable with Ethernet*

- Designed for the latest generation of LED, LCD, Plasma and 3D screens
 - Ideal for connecting your DVD, Blu-ray[®], games console or satellite / set-top box to your TV
 - Capable of transferring full high definition 1080p signals
 - Supports 4K x 2K resolution HDTVs (maximum compliance resolution: 4096 x 2160P @ 24Hz)
 - High speed cable 14.93Gbps (Gigabits per second) / 340MHz transfer rate
 - High grade Oxygen Free Copper conductors (minimum 26AWG), for minimum signal loss
 - Audio Return Channel, Deep Colour and x.v. Colour support
 - HDMI[®] Ethernet Channel allows shared internet connection with multiple devices*
 - 24K Gold Plated locking connectors for superior performance and optimum data transfer
 - RFI and EMI noise reducing Clip-on ferrites allow for free placement along the cable - ideal for flat screens mounted close to the wall
 - Individually shielded and fully screened to eliminate RF and EM interference
- *Ethernet support on 1m, 2m, 3m and 5 metre cables*



Clip-on ferrites included for a purer signal



High density nylon braiding for cable protection



High quality FPE insulator for superior signal transfer



The BTXLR39 is available in 6 different lengths...

BTXLR39-010 / BTXLR39-020 / BTXLR39-030 / BTXLR39-050 / BTXLR39-100 / BTXLR39-150
1 metre cable / 2 metre cable / 3 metre cable / 5 metre cable / 10 metre cable / 15 metre cable



Ventry HDMI Cables also available - See Page 66



BT934

Speaker Volume Control

Premium Loudspeaker Volume Control



- Designed for volume control of remote loudspeakers
- Integrated transformer design for maximum efficiency
- High power rating - 60 watts
- Accepts loudspeaker cable up to 2.5mm diameter
- Suitable for loudspeakers; 4, 6 or 8 ohms
- Frequency response 20 - 20,000 Hz



BT936

Speaker Volume Control

Premium In-Wall Loudspeaker Volume Control



- Designed for use with UK 2 gang, 47mm (1.8") Deep Electrical boxes
- Integrated transformer design for maximum efficiency
- High power rating - 60 watts
- Accepts loudspeaker cable up to 2.5mm diameter
- Suitable for loudspeakers; 4, 6 or 8 ohms
- Frequency response 20 - 20,000 Hz



BT12

Speaker Switch

2-Way Speaker Selector Switch with Screw Terminals



- Designed to allow the use of two pairs of speakers with one amplifier
- Speaker selector switch to play either pair of speakers or both at the same time
- Suitable for loudspeakers from 4 ohms to 16 ohms
- 150 Watts per channel
- Suitable for speaker wire up to 2.5mm²
- Screw terminals for strong connection and minimum loss



BT913

Speaker Switch

Premium 4-Way Speaker Selector Switch



- Designed to allow the use of four pairs of loudspeakers with one amplifier
- Play any combination of up to four speaker pairs at the same time
- For loudspeakers from 8 to 16 ohms
- Headphone socket with amplifier protection
- 200 Watts RMS per channel
- Gold plated screw terminals for speaker wire up to 6mm² allow for strong connections and minimum loss
- Also suitable for 4mm Banana Plugs



BT25

AV Input Control

3-Way Audio Video Input Control with Parallel Outputs



- Designed to connect up to 3 audio video devices such as DVDs, VCRs and Satellite Receivers to 2 outputs such as TVs and Hi-Fi Systems
- Ideal for use with VCRs, DVD players, Camcorders, Satellite Receivers, Games Consoles, CD players and MP3 players
- Gold plated Phono / RCA connectors for strong connection and minimum signal loss



Registered Design Number: 2042932

BT31

Audio Input Control

3-Way Audio Input Control with Phono / RCA Connectors



- Designed to connect up to three stereo devices to one Amplifier Input
- Easy to use input selector
- Gold plated Phono / RCA connectors for strong connection and minimum signal loss



Registered Design Number: 2027269

BT26

Phono Pre-Amp

Phono / Microphone Pre-Amplifier with Parallel Outputs



- Designed for use with any amplifier without a Phono Aux Input
- Designed to RIAA specifications with IC technology for low noise, high gain pre-amplification
- Also suitable for use with stereo and mono microphones
- Power Supply included
- CE certified



BT928

Headphone Amplifier

Stereo Headphone Amplifier



- Designed for use as a stand-alone unit for personal listening
- Use headphones on any audio device or TV
- Independent volume and tone controls
- Two pairs of headphones can be used simultaneously
- Suitable for headphones with either 6.3mm or 3.5mm plugs
- Power Supply included
- CE certified



Index

Product Code	Page Number	Product Code	Page Number
BT1	65	BT7372	40
BT11	64	BT7373	40
BT114	64	BT7374	40
BT12	69	BT7382	40
BT15	65	BT7383	40
BT25	69	BT7384	40
BT26	69	BT7399	41
BT31	69	BT7502	10
BT332	65	BT7504	21
BT34	65	BT7505	10
BT4000	52	BT7507	50
BT4001	52	BT7510	5
BT4002	52	BT7511	5
BT4003	52	BT7512	5
BT4005	52	BT7513	5
BT4011	52	BT7514	6, 7
BT4015	52	BT7515	7
BT4020	52	BT7518	5
BT4041	9, 53	BT7521	6
BT4102	52	BT7522	6
BT5810	32	BT7523	6
BT5811	32	BT7524	6
BT5812	32	BT7532	6
BT5832	33	BT7534	7
BT5833	33	BT7535	7
BT5834	33	BT7540	10
BT5890	38	BT7542	10
BT6010	49	BT7551	51
BT604	64	BT7552	51
BT6045	41	BT7553	34, 41
BT606	64	BT7554	35, 41
BT608	64	BT7564	10
BT7012	47	BT7582	36
BT7014	47	BT7583	36
BT7017	47	BT7592	51
BT7025	48	BT7593	51
BT7030	31	BT77	65
BT7032	30	BT7803	46
BT7036	31	BT7804	46
BT7037	31	BT7819-888	49
BT7038	31	BT7821	46
BT7051	48	BT7822	46
BT7052	48	BT7823	47
BT7055	47	BT7824	47
BT7056	47	BT7825	47
BT7057	48	BT7841	9, 48
BT7088	31	BT7850	46
BT7162	30	BT7850-CAP	48
BT7163	30	BT7851	46
BT7164	30	BT7852	47
BT7165	11, 26	BT7860	49
BT7166	30	BT7861	50
BT7167	28, 30, 62	BT7862	48
BT7171	30	BT7863	48
BT7260	53	BT7864	25, 48
BT7371	40	BT7865	48



Index

Product Code	Page Number	Product Code	Page Number
BT7867	49	BT934	68
BT7868	31	BT936	68
BT8009	50, 53	BT9903	8
BT8010	11	BTBIB100	67
BT8026	50	BTBIB37N	67
BT8027	50	BTBIB47N	67
BT8200-PRO	8	BTBIB639N	67
BT8210-PRO	8	BTBIB641	67
BT8220-PRO	8	BTBIB643	67
BT8221	9	BTBIBVH1	67
BT8310	16	BTF101	60
BT8310-AD64	16	BTF102	60
BT8310-AD86	16	BTF103	60
BT8310-SP	17	BTF104	60
BT8311	18, 19	BTF800	28, 62
BT8320	11	BTF801	28, 62
BT8350	12-15	BTF802	61
BT8350-CW	13	BTF803	61
BT8350-FBFK	13	BTF804	61
BT8350-HFA	13	BTF805	61
BT8351	13	BTF810	29, 63
BT8421-PRO	8	BTF811	29, 63
BT8422-PRO	8	BTF820	27
BT8424	34	BTV110	57
BT8425	36	BTV111	57
BT8426	37	BTV112	57
BT8427	37	BTV113	57
BT8428	35	BTV114	57
BT8429	35	BTV500	58
BT8431-PRO	9	BTV501	58
BT8432-PRO	9	BTV502	58
BT8447	37	BTV503	58
BT8500	50	BTV504	58
BT8503	21	BTV510	59
BT8504	26	BTV511	59
BT8505	26	BTV514	59
BT8506	27	BTV520	59
BT8510	24	BTV521	59
BT8511	24	BTV815	66
BT8520	25	BTV816	66
BT8521	25	BTV817	66
BT8540	20	BTV847	66
BT8541	20	BTV910	64
BT8551	22	BTV914	66
BT8552	22	BTV920	66
BT8553	23	BTXLR39	68
BT8554	23		
BT881	39		
BT882	39		
BT883	39		
BT884	39		
BT892	41		
BT899	39, 49		
BT899-XL	39, 49		
BT913	69		
BT928	69		



B-TECH AUDIO VIDEO MOUNTS

SAFE • SOLID • SECURE™

Distributed by...



Designed & Engineered
in the UK

HEAD OFFICE

B-TECH INTERNATIONAL LIMITED

Bennett House, Long March, Daventry
Northamptonshire, NN11 4NR, UK

From within the UK Tel: 0844 800 0445 • Fax: 0844 800 0446

From outside the UK Tel: +44 (0)1327 300787 • Fax: +44 (0)1327 706562

Email: info@btechavmounts.co.uk

EMEA

Spain

B-TECH INTERNATIONAL (IBERIA) SL

C/ Saragossa, 14 Nave A, Poligono Industrialis Salinas 08830
Sant Boi de Llobregat, Barcelona, Spain

Tel: +34 616 414 694

Fax: +34 935 207 822

Email: info@btechiberia.com

Germany

B-TECH DEUTSCHLAND GMBH

Dyrotzer Weg 26A, 14612 Falkensee
Berlin, Germany

Tel: +49 (0)3322 4291712

Fax: +49 (0)3322 239157

Email: info@btechdeutschland.de

Belgium

B-TECH PRO-AV BVBA

Brixtonlaan 32, Zaventem 1930
Brussels, Belgium

Tel: +32 (0)2 720 9271

Fax: +32 (0)2 725 4215

Email: info@btechproav.com

Dubai

B TECH AUDIO VISUAL ACCESSORIES TRADING LLC

P.O. Box 126974 #107, Mandarin Bldg

Oud Metha, Karama, Dubai, UAE

Tel: +971 4 3574855

Fax: +971 4 3579898

Email: sales@btechavmounts.ae

APAC & ASEAN

China

NINGBO B-TECH INTERNATIONAL TRADING CO., LTD

Suite 2033 North Building, Yinzhou Commerical
Center

299 Yinxian Road, Yinzhou District, Ningbo, China

Tel/Fax: (+86) 186 5748 8434

Email: info@btechasia.com

Singapore

B-TECH AV MOUNTS PTE

LTD

Ruby Industrial Complex

Singapore 347740

Tel: (+65) 6841 2988

Fax: (+65) 6491 5613

Email: info@btechavmounts.com.sg

Vietnam

B-TECH INTERNATIONAL DESIGN & MANUFACTURING (VIETNAM) LTD

7/11, Au Viet Building, 1 Le Duc Tho Street

Cau Giay, Hanoi, Vietnam

Tel: (+84) 94 535 5740

Email: info@btechavmounts.vn

© 2014 December B-Tech International Limited, All rights reserved.

The information in this catalogue reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. The B-Tech name, the B-Tech logo, Better by Design, Mountlogic, Ventry, System2, System V, Cantabria, OWLS, Avliball, and Bto are all registered trademarks of B-Tech International Ltd. All B-Tech images and symbols are exclusive property of B-Tech International Ltd. All other brands and products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures. E&OE.

DISCLAIMER

B-Tech security fasteners are designed as a security deterrent only. B-Tech, B-Tech Distributors and B-Tech resellers accept no liability for loss or resulting costs incurred from the theft, attempted theft or unauthorised removal of any item(s) mounted using B-Tech security fasteners. Security screw removal tools are widely available and all B-Tech security fasteners are intended as a deterrent to the opportunist thief only.

CA-SF-V6-221214-UK



www.btechavmounts.com

